



Alabama Department of Public Health

Bureau of Clinical Laboratories

Montgomery Laboratory
P.O. Box 244018
Montgomery, AL 36124-4018
(334) 260-3400

Mobile Laboratory
757 Museum Drive
Mobile, AL 36608
(251) 344-6049

<http://www.alabamapublichealth.gov/>

Report To LAB RESULTS
AUM NURSING CARE CENTER
IRMA B. MOORE HALL RM.102
P.O. BOX 244023
MONTGOMERY, AL 36124-4023
USA

Patient Information

Contact Details	SHAMILE JAMES 704 CHURCH ST Tuskegee, AL 36083	Date of Birth	10/8/1996
		Gender	Male
		Race	Black or African American
		Ethnicity	Not Hispanic
County of Residence	Macon	Patient ID	X2419812

Sample Information

Sample ID	JAMES, SHAMILE	Date Collected	12/3/2019
Lab ID	M1912004573-01	Date Received	12/6/2019 02:23 PM
Chain of Custody	3065624	Date Reported	12/10/2019 10:48 AM
Specimen Source	Urine	Lab Site	BCL Montgomery
Description			

Additional Information

NPI Information

NPI Provider's First Name? MELODYE
NPI Provider's Last Name? HARVEY

Comments

The performance of Oral and Rectal Swabs are not FDA approved, but have been validated by the BCL for CT and GC specimens, but not for TV. TV assay is not FDA approved for male patients, but the BCL has validated it for males.

Results

Test/Observation	Result	Method / Ref Range
-- SEROLOGY CT-GC --		
Chlamydia Trachomatis	NONREACTIVE	APTIMA NAAT Combo 2 Assay /
Neisseria Gonorrhoeae	NONREACTIVE	APTIMA NAAT Combo 2 Assay /
-- SEROLOGY TV --		
Trichomonas Vaginalis	NONREACTIVE	APTIMA NAAT Assay /