

Patient Information	Specimen Information	Client Information
CARLSON, CHRISTINE DOB: 01/08/1965 AGE: 55 Gender: F Fasting: U Phone: NG Patient ID: NG	Specimen: AL829155R Requisition: 7373745 Collected: 07/09/2020 / 11:15 CDT Received: 07/10/2020 / 04:13 CDT Reported: 07/24/2020 / 06:08 CDT	Client #: 49100638 QATL0000 AUM NURSING CARE CENTER 7461 EAST DRIVE #102 MONTGOMERY, AL 36117

Test Name	In Range	Out Of Range	Reference Range	Lab
SARS CoV 2 RNA (COVID 19), QUALITATIVE NAAT				AT
SARS CoV 2 RNA	NOT DETECTED		NOT DETECTED	

A Not Detected (negative) test result for this test means that SARS- CoV-2 RNA was not present in the specimen above the limit of detection. A negative result does not rule out the possibility of COVID-19 and should not be used as the sole basis for treatment or patient management decisions. If COVID-19 is still suspected, based on exposure history together with other clinical findings, re-testing should be considered in consultation with public health authorities. Laboratory test results should always be considered in the context of clinical observations and epidemiological data in making a final diagnosis and patient management decisions.

Please review the "Fact Sheets" and FDA authorized labeling available for health care providers and patients using the following websites:
<https://www.questdiagnostics.com/home/Covid-19/HCP/NAAT/fact-sheet2>
<https://www.questdiagnostics.com/home/Covid-19/Patients/NAAT/fact-sheet2>

This test has been authorized by the FDA under an Emergency Use Authorization (EUA) for use by authorized laboratories.

Due to the current public health emergency, Quest Diagnostics is receiving a high volume of samples from a wide variety of swabs and media for COVID-19 testing. In order to serve patients during this public health crisis, samples from appropriate clinical sources are being tested. Negative test results derived from specimens received in non-commercially manufactured viral collection and transport media, or in media and sample collection kits not yet authorized by FDA for COVID-19 testing should be cautiously evaluated and the patient potentially subjected to extra precautions such as additional clinical monitoring, including collection of an additional specimen.

Methodology: Nucleic Acid Amplification Test (NAAT) includes PCR or TMA

Additional information about COVID-19 can be found at the Quest Diagnostics website:
www.QuestDiagnostics.com/Covid19.

PERFORMING SITE:

AT QUEST DIAGNOSTICS-ATLANTA, 1777 MONTREAL CIRCLE, TUCKER, GA 30084-6802 Laboratory Director: ANDREW N YOUNG, MD, PHD, CLIA: 11D0255931