



Core Diagnostic Laboratories
1950 Edwards Lake Road
Suite 135
Birmingham, AL 35225
CLIA # 01D214654

Molecular Laboratory Report

Patient:	CARLSON, CHRISTINA	Accession:	88936
Patient #:	61264	Birth:	1/8/1965
Doctor:	BARTON, LINDSEY	Age:	55 years
		Gender:	Female
		Collection Date:	7/24/2020 11:00 AM NURSE
		Received Date:	7/25/2020 6:22 AM JD

Test Name	Result	Units	Flag	Reference Range/Cutoff
COVID ANTIBODY IGG	NOT DETECTED			Run by DR on 7/25/2020 2:27:18 PM at Location: 01
Notes:	*TESTING WAS PERFORMED USING A COVID IGG ANTIBODY TEST. THIS TEST HAS NOT BEEN FDA CLEARED OR APPROVED. THIS TEST HAS BEEN AUTHORIZED BY THE FDA UNDER AN EMERGENCY USE AUTHORIZATION. THIS TEST IS ONLY AUTHORIZED FOR THE DURATION OF TIME THE DECLARATION THAT CIRCUMSTANCES EXIST JUSTIFYING THE AUTHORIZATION OF THE EMERGENCY USE IN IN VITRO DIAGNOSTIC TESTS FOR DETECTION OF COVID 19 IGG ANTIBODIES.			

Location 01:

Reviewed By:

Date:

[Signature] 7/27/2020



Core Diagnostic Laboratories
1950 Edwards Lake Road
Suite 138
Birmingham, AL 35233
CLIA#: 01D214654

Molecular Laboratory Report

Patient:	CARLSON, CHRISTINA	Accession:	88932
Patient #:	61264	Birth:	1/8/1965
Doctor:	BARTON, LINDSEY	Age:	55 years
		Gender:	Female
		Collection Date:	7/24/2020 11:00 AM NURSE
		Received Date:	7/25/2020 6:20 AM JD

Test Name	Result	Units	Flag	Reference Range/Cutoff
COVID-19				<i>Run by RA on 7/27/2020 6:05:05 AM at Location: 01</i>

COVID-19 NOT DETECTED

Notes: *TESTING WAS PERFORMED USING A SARS-COV-2 PCR TEST. THIS TEST HAS NOT BEEN FDA CLEARED OR APPROVED. THIS TEST HAS BEEN AUTHORIZED BY THE FDA UNDER AN EMERGENCY USE AUTHORIZATION. THIS TEST IS ONLY AUTHORIZED FOR THE DURATION OF TIME THE DECLARATION THAT CIRCUMSTANCES EXIST JUSTIFYING THE AUTHORIZATION OF THE EMERGENCY USE IN IN VITRO DIAGNOSTIC TESTS FOR DETECTION OF SARS-COV-2 VIRUS AND OR DIAGNOSIS OF COVID-19 INFECTION.

Location 01:

Reviewed By:

Date:

7/27/20