

Patient Information	Specimen Information	Client Information
COLEY, JENNA DOB: 05/26/1993 AGE: 27 Gender: F Fasting: U Phone: NG Patient ID: NG	Specimen: AL930584R Requisition: 0622063 Collected: 07/13/2020 / 17:00 CDT Received: 07/14/2020 / 03:26 CDT Reported: 07/27/2020 / 16:57 CDT	Client #: 49100638 QATL0000 AUM NURSING CARE CENTER 7461 EAST DRIVE #102 MONTGOMERY, AL 36117

Test Name	In Range	Out Of Range	Reference Range	Lab
SARS CoV 2 RNA (COVID 19), QUALITATIVE NAAT SARS CoV 2 RNA				TXC

NOT DETECTED

A Not Detected (negative) test result for this test means that SARS-CoV-2 RNA was not present in the specimen above the limit of detection. A negative result does not rule out the possibility of COVID-19 and should not be used as the sole basis for treatment or patient management decisions. If COVID-19 is still suspected, based on exposure history together with other clinical findings, re-testing should be considered in consultation with public health authorities. Laboratory test results should always be considered in the context of clinical observations and epidemiological data in making a final diagnosis and patient management decisions.

REFERENCE RANGE: NOT DETECTED

Please review the "Fact Sheets" and FDA authorized labeling available for health care providers and patients using the following websites:
<https://www.questdiagnostics.com/home/Covid-19/HCP/QuestLDT/fact-sheet>
<https://www.questdiagnostics.com/home/Covid-19/Patients/QuestLDT/fact-sheet.html>

This test has been authorized by the FDA under an Emergency Use Authorization (EUA) for use by authorized laboratories

Due to the current public health emergency, Quest Diagnostics is receiving a high volume of samples from a wide variety of swabs and media for COVID-19 testing. In order to serve patients during this public health crisis, samples from appropriate clinical sources are being tested. Negative test results derived from specimens received in non-commercially manufactured viral collection and transport media, or in media and sample collection kits not yet authorized by FDA for COVID-19 testing should be cautiously evaluated and the patient potentially subjected to extra precautions such as additional clinical monitoring, including collection of an additional specimen.

Methodology: Nucleic Acid Amplification Test (NAAT) includes PCR or TMA

Additional information about COVID-19 can be found at the Quest Diagnostics website:

Patient Information	Specimen Information	Client Information
COLEY, JENNA DOB: 05/26/1993 AGE: 27 Gender: F Fasting: U Patient ID: NG	Specimen: AL930584R Collected: 07/13/2020 / 17:00 CDT Received: 07/14/2020 / 03:26 CDT Reported: 07/27/2020 / 16:57 CDT	Client #: 49100638

Test Name	In Range	Out Of Range	Reference Range	Lab
www.QuestDiagnostics.com/Covid19				

PERFORMING SITE:

TXC QUEST DIAGNOSTICS INFECTIOUS DISEASE, INC, 33608 ORTEGA HIGHWAY BLD B-WEST WING, SAN JUAN CAPISTRANO, CA 92675-2042 Laboratory Director: HOLLIS J BATTERMAN, MD, CLIA: 05D0644251