

Patient Information	Specimen Information	Client Information
RINGLE, BRIELLE DOB: 06/23/1995 AGE: 25 Gender: F Phone: NG Patient ID: 1263	Specimen: AL799475B Requisition: 6789303 Lab Ref #: 00657602 Collected: 03/09/2021 / 09:50 CST Received: 03/09/2021 / 23:15 CST Reported: 03/10/2021 / 13:43 CST	Client #: 49100638 QATL0000 BARTON, LINDSEY AUM NURSING CARE CENTER 7461 EAST DRIVE #102 MONTGOMERY, AL 36117

PROVIDER: HAVARD JYSSICA

SARS CoV 2 (COVID-19) Tests				
Test Name		Result	Reference Range	Lab
SARS COV 2 AB (IGG) SPIKE, SEMI QN		2.61 H	<1.00 index	AT
Reference Range:				
INDEX	INTERPRETATION			
<1.00	Negative			
> or = 1.00	Positive			
This test is intended to help identify individuals with antibodies to SARS-CoV-2 (COVID-19). The results of this semi-quantitative test should not be interpreted as an indication of degree of immunity or protection from reinfection. A test result that is 1.00 or more (Positive) means an immune response to a COVID-19 spike vaccine or recent or prior infection with SARS-CoV-2. False positive results for the test may occur due to cross-reactivity from pre-existing antibodies or other possible causes. A test result that is less than 1.00 (Negative) means that antibodies were not detected in the blood sample. This could mean that the patient has not been previously infected with SARS-CoV-2. False negative results for the test may occur if the patient's antibodies have not reached a sufficient level for the test to be able to detect them. Antibodies can take up to two to three weeks (sometimes longer) to develop after someone is infected or final vaccine dose is administered. How long antibodies to SARS-CoV-2 last after infection is not known. This test should not be used to diagnose an active SARS-CoV-2 infection. If an active infection is suspected, direct molecular or antigen testing for SARS-CoV-2 is recommended. Please review the "Fact Sheets" available for healthcare providers and patients using the following websites: https://www.QuestDiagnostics.com/home/Covid-19/HCP/antibody/fact-sheet8 https://www.QuestDiagnostics.com/home/Covid-19/Patients/antibody/fact-sheet8 Healthcare Providers: For additional information please refer to: http://education.questdiagnostics.com/faq/FAQ219 (This link is being provided for informational/educational purposes only.) This test has been authorized by the FDA under an Emergency Use Authorization (EUA) for use by authorized laboratories. The FDA authorized labeling is available on the Quest Diagnostics website: www.QuestDiagnostics.com/Covid19.				
Physician Comments:				

PERFORMING SITE:

AT QUEST DIAGNOSTICS-ATLANTA, 1777 MONTREAL CIRCLE, TUCKER, GA 30084-6802 Laboratory Director: ANDREW N YOUNG, MD, PHD, CLIA: 11D0255931

LIST OF RESULTS PRINTED IN THE OUT OF RANGE COLUMN:

SARS COV 2 AB (IGG)			AT
SPIKE, SEMI QN	2.61 H	<1.00 index	
Reference Range:			
INDEX	INTERPRETATION		
<1.00	Negative		
> or = 1.00	Positive		

This test is intended to help identify individuals with antibodies to SARS-CoV-2 (COVID-19). The results of

Patient Information	Specimen Information	Client Information
RINGLE, BRIELLE DOB: 06/23/1995 AGE: 25 Gender: F Patient ID: 1263	Specimen: AL799475B Collected: 03/09/2021 / 09:50 CST Received: 03/09/2021 / 23:15 CST Reported: 03/10/2021 / 13:43 CST	Client #: 49100638 BARTON, LINDSEY

LIST OF RESULTS PRINTED IN THE OUT OF RANGE COLUMN:

this semi-quantitative test should not be interpreted as an indication or degree of immunity or protection from reinfection.

A test result that is 1.00 or more (Positive) means an immune response to a COVID-19 spike vaccine or recent or prior infection with SARS-CoV-2. False positive results for the test may occur due to cross-reactivity from pre-existing antibodies or other possible causes.

A test result that is less than 1.00 (Negative) means that antibodies were not detected in the blood sample. This could mean that the patient has not been previously infected with SARS-CoV-2. False negative results for the test may occur if the patient's antibodies have not reached a sufficient level for the test to be able to detect them. Antibodies can take up to two to three weeks (sometimes longer) to develop after someone is infected or final vaccine dose is administered. How long antibodies to SARS-CoV-2 last after infection is not known.

This test should not be used to diagnose an active SARS-CoV-2 infection. If an active infection is suspected, direct molecular or antigen testing for SARS-CoV-2 is recommended.

Please review the "Fact Sheets" available for healthcare providers and patients using the following websites:
<https://www.QuestDiagnostics.com/home/Covid-19/HCP/antibody/fact-sheet8>

<https://www.QuestDiagnostics.com/home/Covid-19/Patients/antibody/fact-sheet8>

Healthcare Providers: For additional information please refer to:
<http://education.questdiagnostics.com/faq/FAQ219>
(This link is being provided for informational/educational purposes only.)

This test has been authorized by the FDA under an Emergency Use Authorization (EUA) for use by authorized laboratories. The FDA authorized labeling is available on the Quest Diagnostics website:
www.QuestDiagnostics.com/Covid19.