

No Working #

S#? 500392151



Core Diagnostic Laboratory

FINAL

1930 Edwards Lake Rd#138
Birmingham, AL 35235

Patient:	MOTEN, SYDNEY	Birth:	9/3/2001	Accession:	94439
Patient #:	79125	Age:	18 years	Fasting:	
Provider:	BARTON, LINDSEY	Gender:	Female	Collection Date:	8/14/2020 11:00 AM
Home Phone:				Order Date:	8/15/2020 1:23 AM

Test Name	Result	Units	Flag	Reference Range	Site ID
COVID-19	NOT DETECTED			Run by: AC on Aug 15, 2020 11:47	01

Notes:

*TESTING WAS PERFORMED USING A SARS-COV-2 PCR TEST. THIS TEST HAS NOT BEEN FDA CLEARED OR APPROVED. THIS TEST HAS BEEN AUTHORIZED BY THE FDA UNDER AN EMERGENCY USE AUTHORIZATION. THIS TEST IS ONLY AUTHORIZED FOR THE DURATION OF TIME THE DECLARATION THAT CIRCUMSTANCES EXIST JUSTIFYING THE AUTHORIZATION OF THE EMERGENCY USE IN IN VITRO DIAGNOSTIC TESTS FOR DETECTION OF SARS-COV-2 VIRUS AND OR DIAGNOSIS OF COVID-19 INFECTION.

*TESTING WAS PERFORMED USING A SARS-COV-2 PCR TEST. THIS TEST HAS NOT BEEN FDA CLEARED OR APPROVED. THIS TEST HAS BEEN AUTHORIZED BY THE FDA UNDER AN EMERGENCY USE AUTHORIZATION. THIS TEST IS ONLY AUTHORIZED FOR THE DURATION OF TIME THE DECLARATION THAT CIRCUMSTANCES EXIST JUSTIFYING THE AUTHORIZATION OF THE EMERGENCY USE IN IN VITRO DIAGNOSTIC TESTS FOR DETECTION OF SARS-COV-2 VIRUS AND OR DIAGNOSIS OF COVID-19 INFECTION.

Reviewed By:

[Signature]

Date:

8/17/2020

pt emailed-fb