



Core Diagnostic Laboratories
1930 Edwards Lake Road
Suite 138
Birmingham, AL 35235
CLIA#: 01D2144664

Molecular Laboratory Report

Patient:	MANN, RACHEL	Accession:	159757
Patient #:	103758	Birth:	6/23/1983
Doctor:	BARTON, LINDSEY	Age:	37 years
		Gender:	Female
		Collection Date:	9/23/2020 9:00 AM RN
		Received Date:	9/24/2020 9:00 AM BB

Test Name	Result	Units	Flag	Reference Range/Cutoff
Run by AC on 9/24/2020 1:31:45 PM at Location: 01				
COVID-19	NOT DETECTED			
Notes:	*TESTING WAS PERFORMED USING A SARS-COV-2 PCR TEST. THIS TEST HAS NOT BEEN FDA CLEARED OR APPROVED. THIS TEST HAS BEEN AUTHORIZED BY THE FDA UNDER AN EMERGENCY USE AUTHORIZATION. THIS TEST IS ONLY AUTHORIZED FOR THE DURATION OF TIME THE DECLARATION THAT CIRCUMSTANCES EXIST JUSTIFYING THE AUTHORIZATION OF THE EMERGENCY USE IN IN VITRO DIAGNOSTIC TESTS FOR DETECTION OF SARS-COV-2 VIRUS AND OR DIAGNOSIS OF COVID-19 INFECTION.			

Location 01:

Reviewed By: Gyprica Harvard Date: 09/28/2020
(Emailed)



Core Diagnostic Laboratories
1930 Edwards Lake Road
Suite 138
Birmingham, AL 35235
CLIA#: 01D2144684

Molecular Laboratory Report

Patient:	MANN, RACHEL	Accession:	159762
Patient #:	103758	Birth:	6/23/1983
Doctor:	BARTON, LINDSEY	Age:	37 years
		Gender:	Female
		Collection Date:	9/23/2020 9:00 AM RN
		Received Date:	9/24/2020 9:00 AM BB

Test Name	Result	Units	Flag	Reference Range/Cutoff
RAPID RPP				
Run by CC on 9/24/2020 6:30:02 PM at Location: 01				
Internal Control	Passed			
Adenovirus	Not Detected			
Bordetella pertussis	Not Detected			
Chlamydia pneumoniae	Not Detected			
Enterovirus	Not Detected			
Haemophilus influenzae	Not Detected			
HHV ~ 4 Epstein Barr Virus	Not Detected			
Influenza A	Not Detected			
Influenza B	Not Detected			
Klebsiella pneumoniae	Not Detected			
Moraxella catarrhalis	Not Detected			
Mycoplasma pneumoniae	Not Detected			
Rhinovirus	Not Detected			
RSV A	Not Detected			
RSV B	Not Detected			
Streptococcus pneumoniae	Not Detected			
Streptococcus pyogenes (Strep A)	Not Detected			
aacA1-Aminoglycosides	Not Detected			
SHV- ESBLs	Not Detected			
ermB- Macrolides	Not Detected			
mecA- Methicillin	Not Detected			
qnrA- Quinolones/Fluoroquinolones	Not Detected			
sul- Sulfonamides	Not Detected			
tet(M)- Tetracyclines	Not Detected			



Core Diagnostic Laboratories
1930 Edwards Lake Road
Suite 138
Birmingham, AL 35235
CLIA#: 01D2144684

Molecular Laboratory Report

Patient:	MANN, RACHEL	Accession:	159762
Patient #:	103758	Birth:	6/23/1983
Doctor:	BARTON, LINDSEY	Age:	37 years
		Gender:	Female
		Collection Date:	9/23/2020 9:00 AM RN
		Received Date:	9/24/2020 9:00 AM BB

Notes: Antibiotic Resistance Marker Guide:

aacA1: If positive, pathogen is potentially resistant to Aminoglycosides such as Gentamicin.

SHV: If positive, pathogen is potentially resistant to ESBLs such as Amoxicillin, Ampicillin, Cefepime, Ceftriaxone, Cefuroxime, Cephalothin, and Piperacillin.

ermB: If positive, pathogen is potentially resistant to Macrolides such as Azithromycin, Clarithromycin, Erythromycin.

mecA: If positive, pathogen is potentially resistant to Amoxicillin, Clavulanic acid, Ampicillin, Oxacillin, Piperacillin.

qnrA: If positive, pathogen is potentially resistant to Fluoroquinolones such as Levofloxacin, Ciprofloxacin.

sul: If positive, pathogen is potentially resistant to Trimethoprim/Sulfa.

tetM: If positive, pathogen is potentially resistant to Doxycycline, Minocycline, Tetracycline.

Note: Antimicrobial resistance can occur via multiple mechanisms. A not detected result for a genetic marker of antimicrobial resistance does not indicate susceptibility to associated antimicrobial drugs or drugs classes. A detected result for a genetic marker of antimicrobial resistance cannot be definitely linked to the microorganism(s) detected. Culture is required to obtain isolates for antimicrobial susceptibility testing and results should be used in conjunction with culture results for the determination of susceptibility or resistance.

Location 01:

Reviewed By: _____ Date: _____