

Carol Stewart, C.R.N.P.
Lic. #1-045137
Rx: 1178

AUBURN MONTGOMERY
STUDENT HEALTH CENTER
P. O. Box 244023
Montgomery, AL 36124-4023
(334) 244-3281

Ramona Lazenby, C.R.N.P.
Lic. #1-039092
Rx: 0703

Darlene Pierce, C.R.N.P.
Lic. #1-154315
RX: 3692

Maryluz Fuentes, M.D.
(334) 286-3444
DEA #BF 6451520
AL #24127

Name LaToya Bryant

Date 5/25/17

Address _____

R

Doxycycline 100mg

Disp: 96

Sig: One pill a day; begin 2 days before departure, continue through stay and for four weeks after return.

L. Stewart

Product Selection Permitted


M.D. or C.R.N.P.

Label all prescriptions

Refill: 1 2 3 5 PRN NR

Dispense As Written

M.D. or C.R.N.P.



What are the potential side effects of doxycycline?

The most common side effects of doxycycline are sun sensitivity (a person can get a sun burn more easily than normal). To prevent sun burn, avoid midday sun, and wear a high SPF sunblock.

Doxycycline may also cause nausea and stomach pain. These side effects can often be lessened by taking doxycycline with food. Doxycycline monohydrate, the more expensive type of the drug, is less likely to upset the stomach than doxycycline hyclate. Your pharmacist may be able to dispense one type or the other if you prefer.

Women who use doxycycline may develop a vaginal yeast infection. You can either take an over the counter or prescription medication if vaginal itching or discharge develops.

All medicines may have some side effects. Minor side effects such as nausea, occasional vomiting, or diarrhea usually do not require stopping the antimalarial drug. If you cannot tolerate your antimalarial drug, see your health care provider; other antimalarial drugs are available.

ations

ate travelers because the
! days before traveling to an
a transmission occurs

already taking doxycycline
nt acne. In those instances,
to take an additional

Is to be the least expensive of
al medicines, so it might be
ily for trips of long duration.

also prevent some additional
it may be preferred by
to do lots of hiking, camping,
swimming in fresh water.

How long is it safe to use doxycycline?

CDC has no limits on the use of doxycycline for the prevention of malaria. There is no evidence of harm when the drug has been used for extended periods of time.

For more information:

Check out the CDC malaria website at www.cdc.gov/malaria

Health-care providers needing assistance with diagnosis or management of suspected cases of malaria should call the CDC Malaria Hotline: 770-488-7788 or 855-856-4713 toll-free (M-F, 9am-5pm, eastern time).

Emergency consultation after hours, call: 770-488-7100 and request to speak with a CDC Malaria Branch clinician.

Prevent Malaria

- Take an antimalarial drug.
- Prevent mosquito bites.
- If you get sick, immediately seek professional medical care.