

TRANSMISSION VERIFICATION REPORT

TIME : 02/08/2021 15:25
NAME : AUM
FAX : 3342443396
TEL :
SER.# : BROD8J659256

DATE, TIME
FAX NO./NAME
DURATION
PAGE(S)
RESULT
MODE

02/08 15:24
88133484461119741319
00:01:12
03
OK
STANDARD
ECM

*Faxed
2/8/21
@ 2:30*

P.O. Box 244023
Montgomery, AL 36124
Phone: 334-244-3281
Fax: 334-244-3396



AUBURN UNIVERSITY
AT MONTGOMERY

WARHAWK HEALTH SERVICES

Attn: Skyler Moore

To: AU medical clinic

From: Amy Morris RU

Fax: 334 844 6111

Pages: 3

Phone:

Date 2/8/21

Re: Tiffany Bottoms

cc:

☐ Urgent

☒ For Review

☐ Please Comment

☐ Please Reply

☐ Please Recycle

Comments:

IMPORTANT: This facsimile transmission contains confidential information, some or all of which may be protected health information as defined by the federal Health Insurance Portability & Accountability Act (HIPAA) Privacy Rule. This transmission is intended for the exclusive use of the individual or entity to whom it is addressed and may contain information that is proprietary, privileged, confidential and/or exempt from disclosure under applicable law. If you are not the intended recipient (or an employee or agent responsible for delivering this facsimile transmission to the intended recipient), you are hereby notified that any disclosure, dissemination, distribution or copying of this information is strictly prohibited and may be subject to legal restriction or sanction. Please notify the sender by telephone (number listed above) to arrange the return or destruction of the information and all copies.

BOTTOMS, TIFFANY ▲

DOB: 06/21/1977 Age: 43 Specimen: AL026025A
Sex: F Fasting: U Requisition: 4415159
Phone: Report Status: FINAL / SEE REPORT

Collected: 01/16/2021 08:40
Received: 01/16/2021 00:37
Reported: 01/16/2021 02:09

Client #: 49100638
TUCK PAMBLA P
AUM NURSING CARE CENTER
7461 EAST DRIVE #102
MONTGOMERY, AL 36117
Phone: (334) 244-3281
Fax: (334) 244-3396

▲ LIPID PANEL, STANDARD

FINAL

Lab: AT

Analyte	Value		
▲ CHOLESTEROL, TOTAL (2093-3)	229 H	Reference Range: <200 mg/dL	FINAL
▲ HDL CHOLESTEROL (2085-9)	47 L	Reference Range: > OR = 50 mg/dL	FINAL
▲ TRIGLYCERIDES (2571-8)	233 H	Reference Range: <150 mg/dL	FINAL
If a non-fasting specimen was collected, consider repeat triglyceride testing on a fasting specimen if clinically indicated. Jacobson et al. J. of Clin. Lipidol. 2015;9:129-169.			
▲ LDL-CHOLESTEROL (13457-7)	144 H	mg/dL (calc)	FINAL
Reference range: <100 Desirable range <100 mg/dL for primary prevention; <70 mg/dL for patients with CHD or diabetic patients with > or = 2 CHD risk factors. LDL-C is now calculated using the Martin-Hopkins calculation, which is a validated novel method providing better accuracy than the Friedewald equation in the estimation of LDL-C. Martin SS et al. JAMA. 2013;310(19): 2061-2068 (http://education.questdiagnostics.com/faq/FAQ164)			
CHOL/HDL-C RATIO (9830-1)	4.9	Reference Range: <5.0 (calc)	FINAL
▲ NON HDL CHOLESTEROL (43396-1)	182 H	Reference Range: <130 mg/dL (calc)	FINAL
For patients with diabetes plus 1 major ASCVD risk factor, treating to a non-HDL-C goal of <100 mg/dL (LDL-C of <70 mg/dL) is considered a therapeutic option.			

▲ COMPREHENSIVE METABOLIC PANEL

FINAL

Lab: AT

Analyte	Value		
GLUCOSE (2345-7)	86	Reference Range: 65-99 mg/dL	FINAL
Fasting reference interval			
UREA NITROGEN (BUN) (3094-0)	13	Reference Range: 7-25 mg/dL	FINAL
CREATININE (2160-0)	0.73	Reference Range: 0.50-1.10 mg/dL	FINAL
eGFR NON-AFR. AMERICAN (77147-7)	101	Reference Range: > OR = 60 mL/min/1.73m2	FINAL
eGFR AFRICAN AMERICAN (48643-1)	117	Reference Range: > OR = 60 mL/min/1.73m2	FINAL
BUN/CREATININE RATIO (3097-3)	NOT APPLICABLE	Reference Range: 6-22 (calc)	FINAL
SODIUM (2951-2)	138	Reference Range: 135-146 mmol/L	FINAL
POTASSIUM (2823-3)	4.4	Reference Range: 3.5-5.3 mmol/L	FINAL
CHLORIDE (2075-0)	101	Reference Range: 98-110 mmol/L	FINAL
CARBON DIOXIDE (2028-9)	24	Reference Range: 20-32 mmol/L	FINAL
CALCIUM (17861-6)	9.8	Reference Range: 8.6-10.2 mg/dL	FINAL
PROTEIN, TOTAL (2885-2)	7.2	Reference Range: 6.1-8.1 g/dL	FINAL
ALBUMIN (1751-7)	4.4	Reference Range: 3.6-5.1 g/dL	FINAL

GLOBULIN (10834-0)	2.8	Reference Range: 1.9-3.7 g/dL (calc)	FINAL
ALBUMIN/GLOBULIN RATIO (1759-0)	1.6	Reference Range: 1.0-2.5 (calc)	FINAL
BILIRUBIN, TOTAL (1975-2)	0.4	Reference Range: 0.2-1.2 mg/dL	FINAL
ALKALINE PHOSPHATASE (6768-6)	81	Reference Range: 31-125 U/L	FINAL
AST (1920-8)	26	Reference Range: 10-30 U/L	FINAL
▲ ALT (1742-6)	39 H	Reference Range: 6-29 U/L	FINAL

Performing Sites

AT Quest Diagnostics-Atlanta, 1777 Montreal Circle, Tucker, GA 30084-6802 Laboratory Director: Dr Andrew N Young

Key

⚡ Priority Out of Range ▲ Out of Range (PEND) Pending Result (PRE) Preliminary Result (FINAL) Final Result (RE) Reissued Result

Quest, Quest Diagnostics, the associated logo, Nichols Institute, Interactive Insights and all associated Quest Diagnostics marks are the registered trademarks of Quest Diagnostics. All third party marks - "®" and "™" - are the property of their respective owners. Privacy policy can be found at: <http://questdiagnostics.com/home/privacy-policy/online-privacy.html>. © 2020 Quest Diagnostics Incorporated. All rights reserved.