

Auburn Montgomery Student Health Services

7461 East Dr
Montgomery, AL 36117
(334) 244-3281

Laboratory Results

Patient Name: GERRY SMITH

Order Date: 12/08/2022

MRN: 1408

DOB: 06/16/1963

Phone: (706) 501-9420

Gender: MALE

Placer Order ID: 00847760

Physician: BLACKWELL

Filler Order ID: AL172883Y

Physician ID: 1295276632

Specimen Date: 12/08/2022 4:01 PM

Fasting:

Result Date: 12/09/2022 6:23 AM

Disposition:

Specimen Source: SOURCE, UNSPECIFIED

LIPID PANEL				7600	STATUS: FINAL	
Test Name	Abnormal	Result Value	Unit of Measure	Ref Range	Status	Producer ID
CHOLESTEROL, TOTAL		146	mg/dL	<200	F	AT
HDL CHOLESTEROL	L	27	mg/dL	> OR = 40	F	AT
TRIGLYCERIDES	H	252	mg/dL	<150	F	AT
. If a non-fasting specimen was collected, consider repeat triglyceride testing on a fasting specimen if clinically indicated. Jacobson et al. J. of Clin. Lipidol. 2015;9:129-169. .						
LDL-CHOLESTEROL		86	mg/dL (calc)		F	AT
Reference range: <100 . Desirable range <100 mg/dL for primary prevention; <70 mg/dL for patients with CHD or diabetic patients with > or = 2 CHD risk factors. . LDL-C is now calculated using the Martin-Hopkins calculation, which is a validated novel method providing better accuracy than the Friedewald equation in the estimation of LDL-C. Martin SS et al. JAMA. 2013;310(19): 2061-2068 (http://education.QuestDiagnostics.com/faq/FAQ164)						
CHOL/HDL-C RATIO	H	5.4	(calc)	<5.0	F	AT
NON HDL CHOLESTEROL		119	mg/dL (calc)	<130	F	AT
For patients with diabetes plus 1 major ASCVD risk factor, treating to a non-HDL-C goal of <100 mg/dL (LDL-C of <70 mg/dL) is considered a therapeutic option.						

Lab

QUEST DIAGNOSTICS-ATLANTA(11D0255931) - AT
1777 MONTREAL CIRCLE TUCKER, GA 30084-6802

YOUNG ANDREW

Comments:

Confidential