



Alabama Department of Public Health

Bureau of Clinical Laboratories

Prattville Laboratory
P.O. Box 1000
Prattville, AL 36067-9901
(334) 290-6130

Mobile Laboratory
757 Museum Drive
Mobile, AL 36608
(251) 344-6049

<http://www.alabamapublichealth.gov/bcl>

Report To LAB RESULTS
AUM NURSING CARE CENTER
IRMA B. MOORE HALL RM.102
P.O. BOX 244023
MONTGOMERY, AL 36124-4023
USA

Patient Information

Contact Details	LAYLA ARIINEJAD 8308 PLANTATION CROSSING Montgomery, AL 36116 334-230-8612	Date of Birth	3/4/2000
		Gender	Female
		Race	White or Caucasian
		Ethnicity	Not Hispanic
		Patient ID	X2709663
County of Residence	Montgomery		

Sample Information

Sample ID	ARAIINEJAD	Date Collected	12/15/2020
Lab ID	M2012011596-01	Date Received	12/17/2020 10:31 AM
Chain of Custody	3206912	Date Reported	12/22/2020 03:50 PM
Specimen Source	Urine	Lab Site	BCL Prattville
Description			

Additional Information

NPI Information

NPI Provider's First Name? LINDSEY
NPI Provider's Last Name? BARTON

Comments

The performance of Oral and Rectal Swabs are not FDA approved, but have been validated by the BCL for CT and GC specimens, but not for TV. TV assay is not FDA approved for male patients, but the BCL has validated it for males.

Results

Test/Observation	Result	Method / Ref Range
-- SEROLOGY CT-GC --		
Chlamydia Trachomatis	NONREACTIVE	APTIMA NAAT Combo 2 Assay /
Neisseria Gonorrhoeae	NONREACTIVE	APTIMA NAAT Combo 2 Assay /
-- SEROLOGY TV --		
Trichomonas Vaginalis	NONREACTIVE	APTIMA NAAT Assay /