

Patient Information	Specimen Information	Client Information
HILL, KAITLYN DOB: 07/04/1997 AGE: 20 Gender: F Fasting: N Phone: NG Patient ID: NG	Specimen: AL809412G Requisition: 6728036 Collected: 07/13/2017 / 09:00 CDT Received: 07/13/2017 / 23:08 CDT Reported: 07/14/2017 / 17:45 CDT	Client #: 49100638 QATL0000 FUENTES, MARYLUZ AUM NURSING CARE CENTER Attn: BIRMINGHAM SOLSTAS LAB 7461 EAST DRIVE #102 MONTGOMERY, AL 36117

Test Name	In Range	Out Of Range	Reference Range	Lab
HEPATITIS B SURFACE				KL9
ANTIBODY QL		REACTIVE	NON-REACTIVE	
VARICELLA ZOSTER VIRUS				AT
ANTIBODY (IGG)	3370.00		index	
Index	Interpretation			
<135.00	Negative - Antibody not detected			
135.00 - 164.99	Equivocal			
> or = 165.00	Positive - Antibody detected			

A positive result indicates that the patient has antibody to VZV but does not differentiate between an active or past infection. The clinical diagnosis must be interpreted in conjunction with the clinical signs and symptoms of the patient. This assay reliably measures immunity due to previous infection but may not be sensitive enough to detect antibodies induced by vaccination. Thus, a negative result in a vaccinated individual does not necessarily indicate susceptibility to VZV infection.

PERFORMING SITE:

AT QUEST DIAGNOSTICS-ATLANTA, 1777 MONTREAL CIRCLE, TUCKER, GA 30084-6802 Laboratory Director: ANDREW N YOUNG, MD, PhD, CLIA: 11D0255931
 KL9 SOLSTAS/QUEST DIAGNOSTICS SOLSTAS LAB-BIRMINGHAM, 2732 7TH AVENUE SOUTH, BIRMINGHAM, AL 35233-3406 Laboratory Director: WESTON ROTHROCK, CLIA: 01D1015388

LIST OF RESULTS PRINTED IN THE OUT OF RANGE COLUMN:

HEPATITIS B SURFACE			KL9
ANTIBODY QL	REACTIVE	NON-REACTIVE	