



# Alabama Department of Public Health

## Bureau of Clinical Laboratories

Montgomery Laboratory  
P.O. Box 244018  
Montgomery, AL 36124-4018  
(334) 260-3400

Mobile Laboratory  
757 Museum Drive  
Mobile, AL 36608  
(251) 344-6049

[www.adph.org/bcl](http://www.adph.org/bcl)

**Report To** LAB RESULTS  
AUM NURSING CARE CENTER  
IRMA B. MOORE HALL RM.102  
P.O. BOX 244023  
MONTGOMERY, AL 36124-4023  
USA

### Patient Information

|                            |                                                     |                        |                    |
|----------------------------|-----------------------------------------------------|------------------------|--------------------|
| <b>Name</b>                | PAULA DIAZ<br>PO BOX 244024<br>Montgomery, AL 36124 | <b>SSN</b>             | 000-18-5701        |
|                            |                                                     | <b>Date of Birth</b>   | 2/27/1995          |
|                            |                                                     | <b>Gender</b>          | Female             |
|                            |                                                     | <b>Race</b>            | White or Caucasian |
|                            |                                                     | <b>Ethnicity</b>       | Hispanic           |
| <b>County of Residence</b> | Montgomery                                          | <b>LIMS Patient ID</b> | X1752808           |

### Sample Information

|                         |                |                            |                    |
|-------------------------|----------------|----------------------------|--------------------|
| <b>Sample ID (MRN)</b>  | DIAZ           | <b>Date Collected</b>      | 4/3/2017           |
| <b>Lab ID</b>           | M1704005233-01 | <b>Date Received</b>       | 4/7/2017 11:38 AM  |
| <b>Chain of Custody</b> |                | <b>Date Reported</b>       | 4/11/2017 05:10 PM |
| <b>Specimen Source</b>  | Urine          | <b>Performing Facility</b> | Montgomery Lab     |

**NPI Provider's First Name?** CAROL  
**NPI Provider's Last Name?** STEWART  
**Bill To** 08

#### Comments

The performance of Oral and Rectal Swabs are not FDA approved, but have been validated by the BCL on specimens for Chlamydia Trachomatis and Neisseria Gonorrhoeae testing from patients attending STD and Adult Health Clinics. The Oral and Rectal Swabs have NOT been validated by the BCL for Trichomonas Vaginalis testing. The Aptima Trichomonas Vaginalis Assay has not been approved for testing on male patients by the FDA, but has been validated by the BCL on specimens from male patients attending STD and Adult Health Clinics.

| Test/Observation                              | Result      | Method / Ref Range             |
|-----------------------------------------------|-------------|--------------------------------|
| -- SEROLOGY CT-GC --<br>Chlamydia Trachomatis | NONREACTIVE | Gen-probe APTIMA Combo 2 Assay |
| Neisseria Gonorrhoeae                         | NONREACTIVE | Gen-probe APTIMA Combo 2 Assay |
| -- SEROLOGY TV --<br>Trichomonas Vaginalis    | NONREACTIVE | Gen-probe APTIMA Assay         |