



Alabama Department of Public Health

Bureau of Clinical Laboratories

Montgomery Laboratory
P.O. Box 244018
Montgomery, AL 36124-4018
(334) 260-3400

Mobile Laboratory
757 Museum Drive
Mobile, AL 36608
(251) 344-6049

www.adph.org/bcl

Report To LAB RESULTS
AUM NURSING CARE CENTER
IRMA B. MOORE HALL RM.102
P.O. BOX 244023
MONTGOMERY, AL 36124-4023
USA

Patient Information

Name	JERRY MCCANN 5730 ARBOR STATION RD #C Montgomery, AL 36117	Gender	Male
		Race	Black or African American
		Ethnicity	Not Hispanic
		LIMS Patient ID	X1912480

County of Residence Montgomery

Sample Information

Sample ID (MRN)	MCCANN,JERRY	Date Collected	2/6/2018
Lab ID	M1802008503-01	Date Received	2/9/2018 11:17 AM
Chain of Custody		Date Reported	2/12/2018 11:23 AM
Specimen Source	Urine	Performing Facility	Montgomery Lab

NPI Provider's First Name? CAROL
NPI Provider's Last Name? STEWART
Bill To 08
Comments

The performance of Oral and Rectal Swabs are not FDA approved, but have been validated by the BCL for CT and GC specimens, but not for TV. TV assay is not FDA approved for male patients, but the BCL has validated it for males.

Test/Observation	Result	Method / Ref Range
-- SEROLOGY CT-GC --		
Chlamydia Trachomatis	REACTIVE	APTIMA NAAT Combo 2 Assay
Neisseria Gonorrhoeae	REACTIVE	APTIMA NAAT Combo 2 Assay
-- SEROLOGY TV --		
Trichomonas Vaginalis	NONREACTIVE	APTIMA NAAT Assay