



Alabama Department of Public Health

Bureau of Clinical Laboratories

Montgomery Laboratory
P.O. Box 244018
Montgomery, AL 36124-4018
(334) 260-3400

Mobile Laboratory
757 Museum Drive
Mobile, AL 36608
(251) 344-6049

www.adph.org/bcl

Report To LAB RESULTS
AUM NURSING CARE CENTER
IRMA B. MOORE HALL RM.102
P.O. BOX 244023
MONTGOMERY, AL 36124-4023
USA

Patient Information

Name	JORDAN CALDWELL 1297 N DEAN RD Auburn, AL 36830	SSN	587-83-1063
		Date of Birth	1/31/1998
		Gender	Female
		Race	Black or African American
		Ethnicity	Not Hispanic
County of Residence	Lee	LIMS Patient ID	X1900196

Sample Information

Sample ID (MRN)	CALDWELL	Date Collected	1/10/2018
Lab ID	M1801010237-01	Date Received	1/12/2018 10:50 AM
Chain of Custody		Date Reported	1/19/2018 05:11 PM
Specimen Source	Urine	Performing Facility	Montgomery Lab

NPI Provider's First Name? CAROL
NPI Provider's Last Name? STEWART

Bill To
Comments

The performance of Oral and Rectal Swabs are not FDA approved, but have been validated by the BCL for CT and GC specimens, but not for TV. TV assay is not FDA approved for male patients, but the BCL has validated it for males.

Test/Observation	Result	Method / Ref Range
-- SEROLOGY CT-GC --		
Chlamydia Trachomatis	NONREACTIVE	APTIMA NAAT Combo 2 Assay
Neisseria Gonorrhoeae	NONREACTIVE	APTIMA NAAT Combo 2 Assay
-- SEROLOGY TV --		
Trichomonas Vaginalis	NONREACTIVE	APTIMA NAAT Assay