

Auburn Montgomery Student Health Services

7461 East Dr
Montgomery, AL 36117
(334) 244-3281

Laboratory Results**Patient Name:** JOHN FLEMING**Order Date:** 12/03/2025**MRN:** 3637**DOB:** 09/14/1990**Phone:** (334) 333-2128**Gender:** MALE**Placer Order ID:** 2714665**Physician:** GUTHRIE**Filler Order ID:** 33705101910**Physician ID:** 1497019731**Specimen Date:** 12/03/2025 10:00 AM**Fasting:** N**Result Date:** 12/20/2025 9:36 AM**Disposition:****Specimen Source:****RABIES NEUT.ABS TITRAT.(RFFIT)**

083885

STATUS: FINAL

<u>Test Name</u>	<u>Abnormal</u>	<u>Result Value</u>	<u>Unit of Measure</u>	<u>Ref Range</u>	<u>Status</u>	<u>Producer ID</u>
RABIES NEUT. AB TITRATION		>/=0.5	IU/mL		F	01

Less than 0.1 IU/mL: Below detection limit

>/= 0.1 IU/mL: Above detection limit but below 0.5 IU/mL

>/= 0.5 IU/mL: Equal to or above 0.5 IU/mL

In humans, a result of 0.5 IU/mL or higher is considered an acceptable response to rabies vaccination according to the World Health Organization (WHO) guidelines; see WHO and Advisory committee on Immunization Practices documents for additional guidance. Also, there is more information at www.vet.ksu.edu/rabies. (Note: the symbol ">" means "greater than" and ">/=" means "greater than or equal to")

Lab

K STATE RABIES LABORATORY - 01

BRETT SRAMEK

2005 RESEARCH PARK CIRCLE MANHATTAN, KS 665025020

(785) 532-4483

Comments:**Confidential**