



Alabama Department of Public Health

Bureau of Clinical Laboratories

Montgomery Laboratory
P.O. Box 244018
Montgomery, AL 36124-4018
(334) 260-3400

Mobile Laboratory
757 Museum Drive
Mobile, AL 36608
(251) 344-6049

<http://www.alabamapublichealth.gov/>

Report To LAB RESULTS
AUM NURSING CARE CENTER
IRMA B. MOORE HALL RM.102
P.O. BOX 244023
MONTGOMERY, AL 36124-4023
USA

Patient Information

Contact Details	ALLISON HENDRICKS 8262 FAIRHAVEN LANE #8262 Montgomery, AL 36117	Date of Birth	8/19/1992
County of Residence	Montgomery	Gender	Female
		Race	Black or African American
		Ethnicity	Not Hispanic
		Patient ID	X2368230

Sample Information

Sample ID	HENDRICKS,ALLISON	Date Collected	9/23/2019
Lab ID	M1909018375-01	Date Received	9/27/2019 11:06 AM
Chain of Custody	3057415	Date Reported	10/1/2019 04:43 PM
Specimen Source	Urine	Lab Site	BCL Montgomery
Description			

Additional Information

NPI Information

NPI Provider's First Name? CAROL
NPI Provider's Last Name? STEWART

Comments

The performance of Oral and Rectal Swabs are not FDA approved, but have been validated by the BCL for CT and GC specimens, but not for TV. TV assay is not FDA approved for male patients, but the BCL has validated it for males.

Results

Test/Observation	Result	Method / Ref Range
-- SEROLOGY CT-GC --		
Chlamydia Trachomatis	NONREACTIVE	APTIMA NAAT Combo 2 Assay
Neisseria Gonorrhoeae	NONREACTIVE	APTIMA NAAT Combo 2 Assay
-- SEROLOGY TV --		
Trichomonas Vaginalis	NONREACTIVE	APTIMA NAAT Assay