



PCR-Dx - Gainesville GA
720 Main St SW STE D Gainesville, GA 30501
Laboratory Director: Patricia Allen, D.O.
CLIA#: 11D2197500 COLA#: 30490

SARS-CoV-2/COVID-19 Report

Patient Information

Name: SANDRINE BAHIDIKA
DOB: 11-11-1996
Gender: F
Ethnicity: undisclosed
Medical Record Number: 208443
Address: 427 LUCKIE STREET NW, 103,
ATLANTA, Georgia, 30313
Phone number: 678-650-9589
Email:
Clinical Notes from Ordering Physician:

Specimen Information

Accession Number: IDT-0012503
Date Collected: 04-01-2021 16:14
Date Received: 04-01-2021 19:29
Report Date: 04-02-2021 13:58
Sample Type: Nasopharyngeal Swab

Facility Information

Facility Name: Viral Solutions
Provider Name: MICHELLE WAN
Address: 1995 Clairmont Road, Decatur,
Georgia, 30033

SARS-CoV-2/COVID-19 Test Result Summary

NOT DETECTED

SARS-CoV-2/2019-nCoV

Assay

Results

COVID-19

Not Detected

Note: The information contained in this report is intended to be interpreted concurrently with clinical symptoms by a licensed physician or other licensed healthcare professional. This report is not intended to take the place of professional medical advice.

Processing and Detection Methodology:

Real-time PCR assays are designed to detect the presence of clinically relevant organisms (with 99.99% confidence). All tests are established and validated by PCR Diagnostics. The DTPM COVID-19 RT-PCR Test has not been FDA cleared or approved; it has been authorized by FDA under EUA200086 for use by authorized laboratories; it has been authorized only for detection of nucleic acid from SARS-CoV-2, not for any other viruses or pathogens; and it is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of in vitro diagnostics for the detection and/or diagnosis of COVID-19 under Section 564(b)(1) of the Act, 21 U.S.C. § 360bbb-b(b)(1), unless the authorization is terminated or revoked sooner.

Disclaimer: Detection of a gene associated with resistance to a class of antibiotics may not include all medications within that class and is not intended to represent a complete response profile.

This test was performed by PCR-Dx - Gainesville GA, 720 Main St SW STE D Gainesville, GA 30501 CLIA#: 11D2197500 COLA#: 30490