


TRANSMISSION VERIFICATION REPORT

TIME : 04/24/2018 10:39
 NAME : AU STUDENT HEALTH
 FAX : 3342443396
 TEL : 3342443281
 SER.# : BROB1J254642

DATE, TIME 04/24 10:38
 FAX NO./NAME 98322302
 DURATION 00:00:59
 PAGE(S) 02
 RESULT OK
 MODE STANDARD

Report Status: Final
 RUDOLPH, LINDA



Page 1 of 2

05/09/2017 08:42:05 AM

Patient Information	Specimen Information	Client Information
RUDOLPH, LINDA DOB: 11/27/1958 AGE: 58 Gender: F Fasting: Y Phone: NG Patient ID: NG	Specimen: AL879942E Requisition: 6728099 Collected: 05/08/2017 / 08:40 CDT Received: 05/09/2017 / 00:32 CDT Reported: 05/09/2017 / 04:50 CDT	Client #: 49100638 QATL0000 AUM NURSING CARE CENTER Attn: BIRMINGHAM SOLSTAS LAB 7461 EAST DRIVE #102 MONTGOMERY, AL 36117

Test Name	In Range	Out Of Range	Reference Range	Lab
LIPID PANEL				
CHOLESTEROL, TOTAL	170		125-200 mg/dL	KL9
HDL CHOLESTEROL		45 L	> OR = 46 mg/dL	KL9
TRIGLYCERIDES	131		<150 mg/dL	KL9
LDL-CHOLESTEROL	99		<130 mg/dL (calc)	KL9

Desirable range <100 mg/dL for patients with CHD or diabetes and <70 mg/dL for diabetic patients with known heart disease.

CHOL/HDL-C RATIO	3.8		< OR = 5.0 (calc)	KL9
NON HDL CHOLESTEROL	125		mg/dL (calc)	KL9
Target for non-HDL cholesterol is 30 mg/dL higher than LDL cholesterol target.				
GLUCOSE	99		65-99 mg/dL	KL9

Fasting reference interval

HEMOGLOBIN A1c	5.9 E		<5.7 % of total Hgb	KL9
----------------	-------	--	---------------------	-----

For someone without known diabetes, a hemoglobin A1c value between 5.7% and 6.4% is consistent with prediabetes and should be confirmed with a follow-up test.

For someone with known diabetes, a value <7% indicates that their diabetes is well controlled. A1c targets should be individualized based on duration of diabetes, age, comorbid conditions, and other considerations.

This assay result is consistent with an increased risk of diabetes.

TRANSMISSION VERIFICATION REPORT

TIME : 04/24/2018 10:49
 NAME : AU STUDENT HEALTH
 FAX : 3342443396
 TEL : 3342443281
 SER. # : BROB1J254642

DATE, TIME 04/24 10:49
 FAX NO./NAME 98322302
 DURATION 00:00:34
 PAGE(S) 01
 RESULT OK
 MODE STANDARD



Page 1 of 1

02/16/2018 11:25:55 AM

Report Status: Final
 RUDOLPH, LINDA J

Patient Information	Specimen Information	Client Information
RUDOLPH, LINDA J DOB: 11/27/1961 AGE: 56 Gender: F Fasting: U Phone: NG Patient ID: NG	Specimen: AL179195P Requisition: 1918995 Collected: 02/15/2018 / 15:30 CST Received: 02/16/2018 / 04:06 CST Reported: 02/16/2018 / 08:16 CST	Client #: 49100638 QATL0000 TUCK, PAMELA P AUM NURSING CARE CENTER 7461 EAST DRIVE #102 MONTGOMERY, AL 36117

Test Name	In Range	Out Of Range	Reference Range	Lab
HEMOGLOBIN A1c	5.5		<5.7 % of total Hgb	AT
For the purpose of screening for the presence of diabetes:				
<5.7%	Consistent with the absence of diabetes			
5.7-6.4%	Consistent with increased risk for diabetes (prediabetes)			
> or =6.5%	Consistent with diabetes			
This assay result is consistent with a decreased risk of diabetes.				
Currently, no consensus exists regarding use of hemoglobin A1c for diagnosis of diabetes in children.				
According to American Diabetes Association (ADA) guidelines, hemoglobin A1c <7.0% represents optimal control in non-pregnant diabetic patients. Different metrics may apply to specific patient populations. Standards of Medical Care in Diabetes(ADA).				

PERFORMING SITE:

47 QUEST DIAGNOSTICS-ATLANTA, 1277 MONTREAL CIRCLE, TICKET, GA 30064-0402 Laboratory Director: ANDREW H YOUNG, MD, PhD, CLIA# 1100255901