

Carol Stewart, C.R.N.P.
Lic. #1-045437
Rx: 1178

AUBURN MONTGOMERY
STUDENT HEALTH CENTER
P. O. Box 244023
Montgomery, AL 36124-4023
(334) 244-3281

Ramona Lazenby, C.R.N.P.
Lic. #1-039092
Rx: 0703

Darlene Pierce, C.R.N.P.
Lic. #1-134315
RX: 3692

Maryluz Fuentes, M.D.
(334) 286-3444
DEA #BF 6451520
AL #24127


Name Evan Shepard Date 7/30/19
Address _____

R

Malarone 250/100mg

Disp: 16

Sig: Take one pill a day. Begin 2 days before
departure, continue through stay and
for 7 days after return.


Product Selection Permitted M.D. or C.R.N.P.

Label all prescriptions

Refill: 1 2 3 5 PRN NR

Dispense As Written

M.D. or C.R.N.P.

Carol Stewart, C.R.N.P.
Lic. #1-045437
Rx: 1178

AUBURN MONTGOMERY
STUDENT HEALTH CENTER
P. O. Box 244023
Montgomery, AL 36124-4023
(334) 244-3281

Ramona Lazenby, C.R.N.P.
Lic. #1-039092
Rx: 0703

Darlene Pierce, C.R.N.P.
Lic. #1-134315
RX: 3692

Maryluz Fuentes, M.D.
(334) 286-3444
DEA #BF 6451520
AL #24127

Name Evan Shepard Date 5/2/18
Address _____

R

Doxycycline 100mg

Disp: 95

Sig: One pill a day; begin 2 days before
departure, continue through stay and
for four weeks after return.

Label all prescriptions

Refill: 1 2 3 5 PRN NR

[Signature]
Product Selection Permitted

M.D. or C.R.N.P.

Dispense As Written

M.D. or C.R.N.P.

Carol Stewart, C.R.N.P.
Lic. #1-045437
Rx: 1178

AUBURN MONTGOMERY
STUDENT HEALTH CENTER
P. O. Box 244023
Montgomery, AL 36124-4023
(334) 244-3281

Ramona Lazenby, C.R.N.P.
Lic. #1-039092
Rx: 0703

Darlene Pierce, C.R.N.P.
Lic. #1-134315
RX: 3692

Maryluz Fuentes, M.D.
(334) 286-3444
DEA #BF 6451520
AL #24127

Name Evan Shepard

Date 2/28/18

Address _____

R

Malarone 250/100mg

Disp: 18

Sig: Take one pill a day. Begin 2 days before
departure, continue through stay and
for 7 days after return.

L. Stewart, M.D. or C.R.N.P.
Product Selection Permitted

Label all prescriptions

Refill: 1 2 3 5 PRN NR

Dispense As Written

Carol Stewart, C.R.N.P.
Lic. #1-045437
Rx: 1178

AUBURN MONTGOMERY
STUDENT HEALTH CENTER
P. O. Box 244023
Montgomery, AL 36124-4023
(334) 244-3281

Ramona Lazenby, C.R.N.P.
Lic. #1-039092
Rx: 0703

Darlene Pierce, C.R.N.P.
Lic. #1-134315
RX: 3692

Maryluz Fuentes, M.D.
(334) 286-3444
DEA #BF 6451520
AL #24127

Name Emily Shepard

Date 2/28/18

Address _____

R

Malarone 250/100mg

Disp: 18

Sig: Take one pill a day. Begin 2 days before
departure, continue through stay and
for 7 days after return.

L. Stewart, M.D. or C.R.N.P.
Product Selection Permitted

Label all prescriptions

Refill: 1 2 3 5 PRN NR

Dispense As Written

AUBURN MONTGOMERY

Carol Stewart, C.R.N.P.
Lic. #1-045437
Rx: 1178

STUDENT HEALTH CENTER
P. O. Box 244023
Montgomery, AL 36124-4023
(334) 244-3281

Ramona Lazenby, C.R.N.P.
Lic. #1-039092
Rx: 0703

Darlene Pierce, C.R.N.P.
Lic. #1-134315
RX: 3692

Maryluz Fuentes, M.D.
(334) 286-3444
DEA #BF 6451520
AL #24127

What is a

Atovaquone-proguanil is available in the form of a generic medicine.

Adult tablet: 2 tablets
Pediatric tablet: 1 tablet

Atovaquone-proguanil is used for the prevention of malaria.

Name Evan Shepard Date 2/24/16

Address _____

Rx

Malarone 250/100mg

Disp: 51

Sig: Take one pill a day. Begin 2 days before departure, continue through stay and for 7 days after return.

C. Stewart, M.D. or C.R.N.P.
Product Selection Permitted

Label all prescriptions

Refill: 1 2 3 5 PRN NR

Dispense As Written _____, M.D. or C.R.N.P.

Antimalarial drugs are available in the United States by _____

AUBURN MONTGOMERY

Carol Stewart, C.R.N.P.
Lic. #1-045437
Rx: 1178

STUDENT HEALTH CENTER
P. O. Box 244023
Montgomery, AL 36124-4023
(334) 244-3281

Ramona Lazenby, C.R.N.P.
Lic. #1-039092
Rx: 0703

Darlene Pierce, C.R.N.P.
Lic. #1-134315
RX: 3692

Maryluz Fuentes, M.D.
(334) 286-3444
DEA #BF 6451520
AL #24127

Who can take

Atovaquone-proguanil is for children who weigh more than 15 kg.

Who should take proguanil

Pregnant women should not take atovaquone-proguanil. Infants under 6 months of age should not take atovaquone-proguanil. Children under 6 years of age should not take atovaquone-proguanil if they have kidney disease.

Name Evan Shepard Date 2/24/16

Address _____

Rx

Malarone 250/100mg

Disp: 19

Sig: Take one pill a day. Begin 2 days before departure, continue through stay and for 7 days after return.

C. Stewart, M.D. or C.R.N.P.
Product Selection Permitted

Label all prescriptions


Refill: 1 2 3 5 PRN NR

Dispense As Written _____, M.D. or C.R.N.P.

How should I take proguanil


Both adults and children should take one dose of atovaquone-proguanil per day starting a day or two before traveling to the area where malaria transmission occurs. They should take one dose per day while there, and for 7 consecutive days after leaving. In rare instances (such as if you switched to atovaquone-proguanil from another malaria medicine) your doctor may instruct you to take it for a longer period of time.

The daily dosage for adults is a single adult tablet.



Center for Global Health

Division of Parasitic Diseases and Malaria



Carol Stewart, C.R.N.P.
Lic. #1-045437
Rx: 1178

AUBURN MONTGOMERY
STUDENT HEALTH CENTER
P. O. Box 244023
Montgomery, AL 36124-4023
(334) 244-3281

Ramona Lazenby, C.R.N.P.
Lic. #1-039092
Rx: 0703
Maryluz Fuentes, M.D.
(334) 286-3444
DEA #BF 6451520
AL #24127

Darlene Pierce, C.R.N.P.
Lic. #1-134315
RX: 3692

Name Evan Shepard Date 6/24/16
Address _____

R

Malarone 250/100mg

Disp: 39

Sig: Take one pill a day. Begin 2 days before departure, continue through stay and for 7 days after return.

Carol Stewart

M.D. or C.R.N.P.


Label all prescriptions

Product Selection Permitted

Refill: 1 2 3 5 PRN NR

Dispense As Written

M.D. or C.R.N.P.



Antimalarial drugs are available in the United States by prescription only. Medicines should be obtained at a pharmacy before travel rather than in the destination country. Buying medications abroad has its risks: the drugs could be of poor quality, contaminated, or counterfeit and not protect you against malaria.

Who can take atovaquone-proguanil?

Atovaquone-proguanil can be prescribed to adults and children who weigh at least 11 pounds (5 kg).

Who should not take atovaquone-proguanil?

Pregnant women, women who are nursing infants less than 5kg, or infants who weigh less than 5kg should not take atovaquone-proguanil. Also, people with severe kidney disease should not take atovaquone-proguanil.

How should I take atovaquone-proguanil?

Both adults and children should take one dose of atovaquone-proguanil per day starting a day or two before traveling to the area where malaria transmission occurs. They should take one dose per day while there, and for 7 consecutive days after leaving. In rare instances (such as if you switched to atovaquone-proguanil from another malaria medicine) your doctor may instruct you to take it for a longer period of time.

The daily dosage for adults is a single adult tablet.

en depends on their weight.
laily dose for children based

ke a ½ pediatric tablet daily,
let daily
let daily
lets daily
lets daily
ly
ould be taken with food or a


atovaquone-

Antimalarial drugs are available in the United States by prescription only. Medicines should be obtained at a pharmacy before travel rather than in the destination country. Buying medications abroad has its risks: the drugs could be of poor quality, contaminated, or counterfeit and not protect you against malaria.

In what parts of the world can atovaquone-proguanil be used for prevention of malaria in travelers?


Currently atovaquone-proguanil can be taken in any part of the world where malaria occurs.

CDC keeps track of all the places in the world where malaria transmission occurs and the malaria drugs that are recommended for use in each place. This information can be found using the malaria map on the CDC website: <http://www.cdc.gov/malaria/map/index.html>.



Center for Global Health

Division of Parasitic Diseases and Malaria



THIS DOCUMENT CONTAINS ADDITIONAL INFORMATION NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM.

Carol Stewart, C.R.N.P.
Lic. #1-041437
Rx: 1173

AUBURN MONTGOMERY
STUDENT HEALTH CENTER
P. O. Box 244023
Montgomery, AL 36124-4023
(334) 244-3281

Ramona Lazenby, C.R.N.P.
Lic. #1-039092
Rx: 0703

COT-V17-CVRS RV (12-09)
RP (4-1-11)

Darlene Pierce, C.R.N.P.
Lic. #1-134315
RX: 3692

Maryluz Fuentes, M.D.
(334) 286-3444
DEA #BF 6451520
AL #24127

om Mirror

R

'accine

DAY

7

DAY 6
SKIP



used

Crucell

own

Name Evan Shepard

Date 2/24/15

Address _____

Rx

Vivotif

Disp: 4

Sig: Take as directed.

[Signature]

M.D. or C.R.N.P.

Label all prescriptions

Product Selection Permitted

Refill: 1 2 3 5 PRN NR

Dispense As Written

M.D. or C.R.N.P.

care provider before
before taking each

ure it is completely sealed. Carefully open the blister pack and
imaged. Consult your pharmacist if the foil blister pack or
by mouth without food, usually every other day for 4 doses or
sule whole with cold or barely warm liquid about 1 hour before
d swallow with the liquid immediately. Do not chew, crush, or
dosing schedule closely for the vaccine to be most effective.
to keep track of when to take your next dose. You should
1 week before possible exposure to typhoid fever. You may
risk for typhoid fever after 5 years. Ask your doctor or

effect persists or worsens, tell your doctor or pharmacist
prescribed this medication because he or she has judged that
side effects. Many people using this medication do not have
action to this drug is rare. However, seek immediate medical
ious allergic reaction, including: rash, itching/swelling
dizziness, trouble breathing. This is not a complete list of
its not listed above, contact your doctor or pharmacist.
side effects. The following numbers do not provide medical
ects to the Vaccine Adverse Event Reporting System
may call Health Canada at 1-866-234-2345.

Watch Vivotif Video at
www.OralTyphoidVaccine.com

User's Guide for Travelers

Quick Reference for Do's and
Don't's on Back Panel

OVERDOSE: If overdose is suspected, contact a poison control center or emergency room immediately. US residents can call the US National Poison Hotline at 1-800-222-1222. Canada residents can call a provincial poison control center.