

Patient Information	Specimen Information	Client Information
DENT, PAMELA DOB: 08/11/1960 AGE: 60 Gender: F Fasting: U Phone: NG Patient ID: NG	Specimen: AL349656A Requisition: 4415209 Collected: 01/25/2021 / 09:30 CST Received: 01/26/2021 / 02:17 CST Reported: 01/26/2021 / 13:21 CST	Client #: 49100638 QATL0000 AUM NURSING CARE CENTER 7461 EAST DRIVE #102 MONTGOMERY, AL 36117

SARS-CoV-2 (COVID-19) Tests

Test Name	Result	Reference Range	Lab
SARS-CoV-2 SEROLOGY (COVID-19) AB (IGG), IA			AT
SARS-CoV-2 AB IGG	POSITIVE		

Reference range: Negative

This test is intended for use as an aid in identifying individuals with an adaptive immune response to SARS-CoV-2, indicating recent or prior infection. Results are for the detection of SARS-CoV-2 antibodies. IgG antibodies to SARS-CoV-2 are generally detectable in blood several days after initial infection, although the duration of time antibodies are present post-infection is not well characterized. At this time, it is unknown for how long antibodies persist following infection and if the presence of antibodies confers protective immunity. Individuals may have detectable virus by molecular testing present for several weeks following seroconversion. Negative results do not preclude acute SARS-CoV-2 infection. This test should not be used to diagnose acute SARS-CoV-2 infection. If acute infection is suspected, direct testing by molecular methods for SARS-CoV-2 is necessary. False positive results for the test may occur due to cross-reactivity from pre-existing antibodies or other possible causes.

Please review the "Fact Sheets" available for health care providers and patients using the following websites: QuestDiagnostics.com/home/Covid-19/HCP/antibody/fact-sheet2 QuestDiagnostics.com/home/Covid-19/Patients/antibody/fact-sheet2

This test has been authorized by the FDA under an Emergency Use Authorization (EUA) for use by authorized laboratories. The FDA authorized labeling is available on the Quest Diagnostics website: www.QuestDiagnostics.com/Covid19.

For additional information please refer to <http://education.questdiagnostics.com/faq/FAQ219> (This link is being provided for informational/educational purposes only.)

Physician Comments:

AT QUEST DIAGNOSTICS-ATLANTA, 1777 MONTREAL CIRCLE, TUCKER, GA 30084-6802 Laboratory Director: ANDREW N YOUNG, MD, PhD, CLIA# T1D0255931

LIST OF RESULTS PRINTED IN THE OUT OF RANGE COLUMN:

SARS-CoV-2 AB IGG	POSITIVE	AT
-------------------	----------	----

Reference range: Negative

This test is intended for use as an aid in identifying individuals with an adaptive immune response to SARS-CoV-2, indicating recent or prior infection. Results are for the detection of SARS-CoV-2 antibodies. IgG antibodies to SARS-CoV-2 are generally detectable in blood several days after initial infection, although the duration of time antibodies are present post-infection is not well characterized. At this time, it is unknown for how long antibodies persist following infection and if the presence of antibodies confers protective immunity. Individuals may have detectable virus by molecular testing present for several weeks following seroconversion. Negative results do not preclude acute SARS-CoV-2 infection. This test should not be used to diagnose acute SARS-CoV-2 infection. If acute infection is suspected, direct testing by molecular methods for

Patient Information	Specimen Information	Client Information
DENT, PAMELA DOB: 08/11/1960 AGE: 60 Gender: F Fasting: U Patient ID: NG	Specimen: AL349656A Collected: 01/25/2021 / 09:30 CST Received: 01/26/2021 / 02:17 CST Reported: 01/26/2021 / 13:21 CST	Client #: 49100638

LIST OF RESULTS PRINTED IN THE OUT OF RANGE COLUMN:

SARS-CoV-2 is necessary. False positive results for the test may occur due to cross-reactivity from pre-existing antibodies or other possible causes.

Please review the "Fact Sheets" available for health care providers and patients using the following websites:
QuestDiagnostics.com/home/Covid-19/HCP/antibody/fact-sheet2
QuestDiagnostics.com/home/Covid-19/Patients/antibody/fact-sheet2

This test has been authorized by the FDA under an Emergency Use Authorization (EUA) for use by authorized laboratories. The FDA authorized labeling is available on the Quest Diagnostics website: www.QuestDiagnostics.com/Covid19.

For additional information please refer to
<http://education.questdiagnostics.com/faq/FAQ219>
(This link is being provided for informational/educational purposes only.)