

Auburn Montgomery Student Health Services

7461 East Dr
Montgomery, AL 36117
(334) 244-3281

Laboratory Results**Patient Name:** ANNICK-LAURA RELIER**Order Date:** 10/25/2021**MRN:** 5019**DOB:** 11/03/1984**Phone:** (334) 419-8727**Gender:** FEMALE**Placer Order ID:** 00723611**Physician:** BARTON**Filler Order ID:** AL595729K**Physician ID:** 1215285879**Specimen Date:** 10/25/2021 1:52 PM**Fasting:****Result Date:** 11/01/2021 2:01 PM**Disposition:****Specimen Source:** SOURCE, UNSPECIFIED**QN THYROGLB W/O TGAB**

15561

STATUS: FINAL

<u>Test Name</u>	<u>Abnormal</u>	<u>Result Value</u>	<u>Unit of Measure</u>	<u>Ref Range</u>	<u>Status</u>	<u>Producer ID</u>
THYROGLOBULIN	L	<0.1	ng/mL		F	AT

Reference Range:

Intact Thyroid 2.8-40.9

Athyrotic <0.1

.

Note: Abnormal flagging is based
on the reference interval for
patients with intact thyroid.

.

.

This test was performed using the Beckman Coulter
chemiluminescent method. Values obtained from
different assay methods cannot be used
interchangeably. Thyroglobulin levels, regardless
of value, should not be interpreted as absolute
evidence of the presence or absence of disease.

.

COMMENT

F

AT

.

Thyroglobulin antibodies (TGAB) interfere with
thyroglobulin (TG) assays; therefore, TGAB assay
should always be performed in conjunction with a
TG assay.

.

.

For additional information, please refer to
<http://education.questdiagnostics.com/faq/FAQ202>
(This link is being provided for informational/
educational purposes only.)

.

Lab

QUEST DIAGNOSTICS-ATLANTA(11D0255931) - AT
1777 MONTREAL CIRCLE TUCKER, GA 30084-6802

YOUNG ANDREW

Comments:**Confidential**