

FINAL



Core
Diagnostic
Laboratories

Molecular Laboratory Report

Core Diagnostic Laboratories
211 Summit Parkway
Suite 124
Birmingham, AL 35209
CLIA: 01D2144684

Patient:	JETT, AMELIA	Accession:	903133
Patient #:	446033	Birth:	2/10/2017
Doctor:	BARTON, LINDSEY	Age:	5 years
Home Phone:	(256)345-8570	Gender:	Female
		Collection Date:	9/14/2022 10:45 AM
		Received Date:	9/14/2022 11:38 PM EDH

Test Name	Result	Units	Flag	Reference Range/Cutoff
COVID 19	NOT DETECTED			Run by ATN on 9/15/2022 4:00:50 AM at Location: 01

COVID-19

Notes:

*TESTING WAS PERFORMED USING A SARS-COV-2 RT-PCR TEST. THIS TEST HAS NOT BEEN FDA CLEARED OR APPROVED. THIS TEST HAS BEEN AUTHORIZED BY THE FDA UNDER AN EMERGENCY USE AUTHORIZATION. THIS TEST IS ONLY AUTHORIZED FOR THE DURATION OF TIME THE DECLARATION THAT CIRCUMSTANCES EXIST JUSTIFYING THE AUTHORIZATION OF THE EMERGENCY USE IN IN VITRO DIAGNOSTIC TESTS FOR DETECTION OF SARS-COV-2 VIRUS AND OR DIAGNOSIS OF COVID-19 INFECTION.

Location 01:

Core Diagnostic Laboratories 211 Summit Parkway Suite 124 Birmingham, AL 35209 Phone: (205) 517-8700 Lab
Director: Sharon Master CLIA# 01D2144684

Reviewed By:

Date:

Originally Reported On: 9/15/2022 4:05 AM

Printed: 9/15/2022 4:05 AM

(UTC-06:00) Central Time (US & Canada)

STAT[S] Corrected [C] Amended [A]

Accession: 903133 Patient: #: 446033

Lab Results for: JETT, AMELIA

Page: 1/1

FINAL



Core
Diagnostic
Laboratories

Molecular Laboratory Report

Core Diagnostic Laboratories
211 Sunbelt Parkway
Suite 124
Birmingham, AL 35209
CLIA: 01D2144684

Patient:	JETT, AMELIA	Accession:	903134
Patient #:	446033	Birth:	2/10/2017
Doctor:	BARTON, LINDSEY	Age:	5 years
Home Phone:	(256)345-8570	Gender:	Female
		Collection Date:	9/14/2022 10:45 AM
		Received Date:	9/14/2022 11:38 PM EDH

Test Name	Result	Units	Flag	Reference Range/Cutoff
RAPID RPP				
Run by ATN on 9/15/2022 5:34:28 AM at Location: 01				
Internal Control	Passed			
Adenovirus	Not Detected			
Bordetella pertussis	Not Detected			
Chlamydia pneumoniae	Not Detected			
Enterovirus	Not Detected			
Haemophilus influenzae	Detected		LOW	
HHV ~ 4 Epstein Barr Virus	Not Detected			
Human Metapneumovirus	Not Detected			
Influenza A	Not Detected			
Influenza B	Not Detected			
Klebsiella pneumoniae	Not Detected			
Moraxella catarrhalis	Detected		LOW	
Mycoplasma pneumoniae	Not Detected			
Rhinovirus	Detected		Medium	
RSV A	Not Detected			
RSV B	Not Detected			
Streptococcus pneumoniae	Not Detected			
Streptococcus pyogenes (Strep A)	Not Detected			
ermB- Macrolides	Not Detected			
mecA- Methicillin	Not Detected			
qnrA- Quinolones/Fluoroquinolones	Not Detected			
sul- Sulfonamides	Not Detected			
tet(M)- Tetracyclines	Not Detected			

Notes: This test was developed and its performance characteristics determined by Core Diagnostic Laboratories. It has not been cleared or approved by the FDA. However, such approval/clearance is not required as the laboratory is regulated and qualified under CLIA to perform high-complexity testing.

Originally Reported On: 9/15/2022 5:35 AM

Printed: 9/15/2022 5:35 AM

(UTC-06:00) Central Time (US & Canada)

STAT[S] Corrected [C] Amended [A]

Accession: 903134 Patient #: 446033

Lab Results for: JETT, AMELIA

Page: 1/2

FINAL



Core
Diagnostic
Laboratories

Molecular Laboratory Report

Core Diagnostic Laboratories
211 Summit Parkway
Suite 124
Birmingham, AL 35209
CLIA: 01D2144684

Patient:	JETT, AMELIA	Accession:	903134
Patient #:	446033	Birth:	2/10/2017
Doctor:	BARTON, LINDSEY	Age:	5 years
Home Phone:	(256)345-8570	Gender:	Female
Notes:	Antibiotic Resistance Marker Guide:		

ermB: If positive, pathogen is potentially resistant to Macrolides such as Azithromycin, Clarithromycin, Erythromycin.

mecA: If positive, pathogen is potentially resistant to Amoxicillin, Clavulanic acid, Ampicillin, Oxacillin, Piperacillin.

qnrA: If positive, pathogen is potentially resistant to Fluoroquinolones such as Levofloxacin, Ciprofloxacin.

sul: If positive, pathogen is potentially resistant to Trimethoprim/Sulfa.

tetM: If positive, pathogen is potentially resistant to Doxycycline, Minocycline, Tetracycline.

Note: Antimicrobial resistance can occur via multiple mechanisms. A not detected result for a genetic marker of antimicrobial resistance does not indicate susceptibility to associated antimicrobial drugs or drugs classes. A detected result for a genetic marker of antimicrobial resistance cannot be definitely linked to the microorganism(s) detected. Culture is required to obtain isolates for antimicrobial susceptibility testing and results should be used in conjunction with culture results for the determination of susceptibility or resistance.

Location 01:	Core Diagnostic Laboratories 211 Summit Parkway Suite 124 Birmingham, AL 35209 Phone: (205) 517-8700 Lab Director: Sharon Master CLIA# 01D2144684
---------------------	---

Reviewed By:

Date:

9/15/2022

Originally Reported On: 9/15/2022 5:35 AM

Printed: 9/15/2022 5:35 AM

(UTC-06:00) Central Time (US & Canada)

STAT[S] Corrected [C] Amended [A]

Accession: 903134 Patient: #: 446033

Lab Results for: JETT, AMELIA

Page: 2/2