

Mobile Laboratory
757 Museum Drive
Mobile, AL 36608
(251) 344-6049



Collector: LAB RESULTS
AUM NURSING CARE CENTER

Patient Information

Date of Birth:	4/14/2001
Gender:	Male
Race:	Black or African American
Ethnicity:	Not Hispanic
Patient ID:	X3147574

Sample Information

Date Collected: 10/26/2022 10:00 AM
Date Received: 10/27/2022 09:44 AM
Date Reported: 10/27/2022 04:31 PM
Lab Site: BCL Prattville

Results

Test/Observation	Result	Method / Reference Range
----- HIV Ag/Ab SCREEN -----		
HIV Ag/Ab	NONREACTIVE	HIV Ag/Ab Multiplex IA /
HIV-1 Ab	NONREACTIVE	HIV Ag/Ab Multiplex IA /
HIV-1 Ag	NONREACTIVE	HIV Ag/Ab Multiplex IA /
HIV-2 Ab	NONREACTIVE	HIV Ag/Ab Multiplex IA /
HIV Ag/Ab Interpretation	Negative for HIV-1 antigen and HIV 1/2 antibodies. No Laboratory evidence of HIV infection. If acute HIV infection is suspected, consider testing for HIV-1 RNA.	HIV Ag/Ab Multiplex IA /

Normal Value: Not found in a healthy population

10281022 C
1348

Alabama Department of Public Health

Bureau of Clinical Laboratories



Prattville Laboratory
P.O. Box 1000, Prattville, AL 36067-9901
204 Legends Ct, Prattville, AL 36066-7893
(334) 290-6130

Mobile Laboratory
757 Museum Drive
Mobile, AL 36608
(251) 344-6049

<http://www.alabamapublichealth.gov/bcl>



Report To: LAB RESULTS
AUM NURSING CARE CENTER
IRMA B. MOORE HALL RM.102
P.O. BOX 244023
MONTGOMERY, AL 36124-4023
USA

Collector: LAB RESULTS
AUM NURSING CARE CENTER

Patient Information

Contact Details:	Bralen Washington 459 Eastmount Street Thomasville, AL 36784 334-456-4650	Date of Birth:	4/14/2001
		Gender:	Male
		Race:	Black or African American
		Ethnicity:	Not Hispanic
		Patient ID:	X3147574

Sample Information

Sample ID:	Washington	Date Collected:	10/26/2022 10:00 AM
Lab ID:	M2210014721-01	Date Received:	10/27/2022 09:47 AM
Chain of Custody:	3317629	Date Reported:	10/28/2022 12:27 PM
Specimen Source:	Serum	Lab Site:	BCL Prattville

Results

Test/Observation	Result	Method / Reference Range
--- SEROLOGY SYPHILIS ---		
Syphilis Screen	NONREACTIVE	Syphilis Ab Multiplex IA /
Normal Value: Not found in a healthy population		

Handwritten signature
10/28/2022
01340

Alabama Department of Public Health

Bureau of Clinical Laboratories



Prattville Laboratory
P.O. Box 1000, Prattville, AL 36067-9901
204 Legends Ct, Prattville, AL 36066-7893
(334) 290-6130

Mobile Laboratory
757 Museum Drive
Mobile, AL 36608
(251) 344-6049

<http://www.alabamapublichealth.gov/bcl>



Report To: LAB RESULTS
AUM NURSING CARE CENTER
IRMA B. MOORE HALL RM.102
P.O. BOX 244023
MONTGOMERY, AL 36124-4023
USA

Patient Information

Contact Details:	BRALEN WASHINGTON 459 EASTMOUNT ST Thomasville, AL 36784 334-456-4650	Date of Birth:	4/14/2001
County of Residence:	Clarke	Gender:	Male
		Race:	Black or African American
		Ethnicity:	Not Hispanic
		Patient ID:	X3148846

Sample Information

Sample ID:	5207	Date Collected:	10/26/2022
Lab ID:	M2210014914-01	Date Received:	10/27/2022 10:38 AM
Chain of Custody:	3317755	Date Reported:	10/28/2022 12:37 PM
Specimen Source:	Urine	Lab Site:	BCL Prattville

Additional Information

NPI Information

NPI Provider's First Name?	LINDSEY
NPI Provider's Last Name?	BARTON

Comments

The performance of Oral and Rectal Swabs are not FDA approved, but have been validated by the BCL for CT and GC specimens, but not for TV. TV assay is not FDA approved for male patients, but the BCL has validated it for males.

Results

Test/Observation	Result	Method / Reference Range
-- SEROLOGY CT-GC --		
Chlamydia Trachomatis	NONREACTIVE	APTIMA NAAT Combo 2 Assay /
Normal Value: Not found in a healthy population		
Neisseria Gonorrhoeae	NONREACTIVE	APTIMA NAAT Combo 2 Assay /
Normal Value: Not found in a healthy population		
-- SEROLOGY TV --		
Trichomonas Vaginalis	NONREACTIVE	APTIMA NAAT Assay /
Normal Value: Not found in a healthy population		

W. Barton
10/28/2022 1340