

FINAL

Core
Diagnostic
Laboratories**Molecular Laboratory Report**Core Diagnostic Laboratories
211 Summit Parkway
Suite 124
Birmingham, AL 35209
CLIA: 01D2144684

Patient:	HODGE, TERESA	Accession:	964358
Patient #:	469979	Birth:	5/2/1966
Doctor:	BLACKWELL, ROBIN	Age:	56 years
		Gender:	Female
		Collection Date:	12/1/2022 3:10 PM
		Received Date:	12/2/2022 4:29 AM BAG

Test Name	Result	Units	Flag	Reference Range/Cutoff
COVID 19				Run by KPR on 12/2/2022 6:42:39 AM at Location: 01
COVID-19	NOT DETECTED			
Notes:	*TESTING WAS PERFORMED USING A SARS-COV-2 RT-PCR TEST. THIS TEST HAS NOT BEEN FDA CLEARED OR APPROVED. THIS TEST HAS BEEN AUTHORIZED BY THE FDA UNDER AN EMERGENCY USE AUTHORIZATION. THIS TEST IS ONLY AUTHORIZED FOR THE DURATION OF TIME THE DECLARATION THAT CIRCUMSTANCES EXIST JUSTIFYING THE AUTHORIZATION OF THE EMERGENCY USE IN IN VITRO DIAGNOSTIC TESTS FOR DETECTION OF SARS-COV-2 VIRUS AND OR DIAGNOSIS OF COVID-19 INFECTION.			

Location 01:	Core Diagnostic Laboratories 211 Summit Parkway Suite 124 Birmingham, AL 35209 Phone: (205) 517-8700 Lab Director: Sharon Master CLIA# 01D2144684
---------------------	---

Reviewed By: Rob Blackwell Date: 1.2.22

FINAL

Core
Diagnostic
Laboratories

Molecular Laboratory Report

Core Diagnostic Laboratories
211 Summit Parkway
Suite 124
Birmingham, AL 35203
CLIA: 01D214684

Patient:	HODGE, TERESA	Accession:	964356
Patient #:	469979	Birth:	5/2/1966
Doctor:	BLACKWELL, ROBIN	Age:	56 years
		Gender:	Female
		Collection Date:	12/1/2022 3:10 PM
		Received Date:	12/2/2022 4:29 AM BAG

Test Name	Result	Units	Reference Range
-----------	--------	-------	-----------------

Summary

RESPIRATORY PATHOGEN PANEL

Run by ATN on 12/2/2022 7:35:21 AM at Location: 01

Rhinovirus	Detected	HIGH
------------	----------	------

Test Name	Result	Units	Flag	Reference Range/Cutoff
-----------	--------	-------	------	------------------------

RESPIRATORY PATHOGEN PANEL

Run by ATN on 12/2/2022 7:35:21 AM at Location: 01

Adenovirus	Not Detected
Chlamydia pneumoniae	Not Detected
Coronavirus 229E	Not Detected
Coronavirus HKU1	Not Detected
Coronavirus NL63	Not Detected
Coronavirus OC43	Not Detected
Enterovirus	Not Detected
Haemophilus influenzae	Not Detected
HHV ~ 4 Epstein Barr Virus	Not Detected
Human Metapneumovirus	Not Detected
Influenza A	Not Detected
Influenza B	Not Detected
Klebsiella pneumoniae	Not Detected
Moraxella catarrhalis	Not Detected
Mycoplasma pneumoniae	Not Detected
Parainfluenza 1	Not Detected
Parainfluenza 2	Not Detected
Parainfluenza 3	Not Detected
Parainfluenza 4	Not Detected
Rhinovirus	Detected HIGH
RSV A	Not Detected
RSV B	Not Detected
Staphylococcus aureus	Not Detected
Streptococcus pneumoniae	Not Detected
Streptococcus pyogenes (Strep A)	Not Detected
ermB- Macrolides	Not Detected
mecA- Methicillin	Not Detected
qnrA- Quinolones/Fluoroquinolones	Not Detected
sul- Sulfonamides	Not Detected
tet(M)- Tetracyclines	Not Detected

patient notified on 12/2/2022 00:59:4
WBS [signature]

Originally Printed On: 12/2/2022 7:36 AM

Printed: 12/2/2022 7:36 AM

(UTC-06:00) Central Time (US & Canada)

STAT[S] Corrected [C] Amended [A]

Accession: 964356 Patient: #: 469979

Lab Results for: HODGE, TERESA

Page: 1/2

FINAL



Core
Diagnostic
Laboratories

Molecular Laboratory Report

Core Diagnostic Laboratories
211 Summit Parkway
Suite 124
Birmingham, AL 35209
CLIA: 01D2144684

Patient:	HODGE, TERESA	Accession:	964356
Patient #:	469979	Birth:	5/2/1966
Doctor:	BLACKWELL, ROBIN	Age:	56 years
		Gender:	Female
		Collection Date:	12/1/2022 3:10 PM
		Received Date:	12/2/2022 4:29 AM BAG

Notes: Antibiotic Resistance Marker Guide:

ermB: If positive, pathogen is potentially resistant to Macrolides such as Azithromycin, Clarithromycin, Erythromycin.

mecA: If positive, pathogen is potentially resistant to Amoxicillin, Clavulanic acid, Ampicillin, Oxacillin, Piperacillin.

qnrA: If positive, pathogen is potentially resistant to Fluoroquinolones such as Levofloxacin, Ciprofloxacin.

sul: If positive, pathogen is potentially resistant to Trimethoprim/Sulfa.

tetM: If positive, pathogen is potentially resistant to Doxycycline, Minocycline, Tetracycline.

Note: Antimicrobial resistance can occur via multiple mechanisms. A not detected result for a genetic marker of antimicrobial resistance does not indicate susceptibility to associated antimicrobial drugs or drugs classes. A detected result for a genetic marker of antimicrobial resistance cannot be definitely linked to the microorganism(s) detected. Culture is required to obtain isolates for antimicrobial susceptibility testing and results should be used in conjunction with culture results for the determination of susceptibility or resistance.

This test was developed and its performance characteristics determined by Core Diagnostic Laboratories. It has not been cleared or approved by the FDA. However, such approval/clearance is not required as the laboratory is regulated and qualified under CLIA to perform high-complexity testing.

Location 01:	Core Diagnostic Laboratories 211 Summit Parkway Suite 124 Birmingham, AL 35209 Phone: (205) 517-8700 Lab Director: Sharon Master CLIA# 01D2144684
---------------------	---

Reviewed By: Robin Blackwell CRNP Date: 1.2.22