

Alabama Department of Public Health


Bureau of Clinical Laboratories



Prattville Laboratory
P.O. Box 1000, Prattville, AL 36067-9901
204 Legends Ct, Prattville, AL 36066-7893
(334) 290-6130

Mobile Laboratory
757 Museum Drive
Mobile, AL 36608
(251) 344-6049

<http://www.alabamapublichealth.gov/bcl>



Report To: LAB RESULTS
AUM NURSING CARE CENTER
IRMA B. MOORE HALL RM.102
P.O. BOX 244023
MONTGOMERY, AL 36124-4023
USA

Patient Information

Contact Details:	SAMAR KHAN 312 SEATON CIRCLE Montgomery, AL 36116 334-549-9048	Date of Birth:	12/4/1997
County of Residence:	Montgomery	Gender:	Male
		Race:	Asian
		Ethnicity:	Not Hispanic
		Patient ID:	X3207668

Sample Information

Sample ID:	KHON	Date Collected:	09/21/2023
Lab ID:	M2309014017-01	Date Received:	09/22/2023 10:40 AM
Chain of Custody:	L3348717	Date Reported:	<u>10/02/2023 11:35 AM</u>
Specimen Source:	Urine	Lab Site:	BCL Prattville

Additional Information

NPI Information

NPI Provider's First Name?	LINDSEY
NPI Provider's Last Name?	BARTON

Comments

The performance of Oral and Rectal Swabs are not FDA approved, but have been validated by the BCL for CT and GC specimens, but not for TV. TV assay is not FDA approved for male patients, but the BCL has validated it for males.

Results

Test/Observation	Result	Method / Reference Range
-- SEROLOGY CT-GC --		
Chlamydia Trachomatis	NONREACTIVE	APTIMA NAAT Combo 2 Assay /
Normal Value: Not found in a healthy population		
Neisseria Gonorrhoeae	NONREACTIVE	APTIMA NAAT Combo 2 Assay /
Normal Value: Not found in a healthy population		
-- SEROLOGY TV --		
Trichomonas Vaginalis	NONREACTIVE	APTIMA NAAT Assay /
Normal Value: Not found in a healthy population		

MBu JEN