



Alabama Department of Public Health

Bureau of Clinical Laboratories

Montgomery Laboratory
P.O. Box 244018
Montgomery, AL 36124-4018
(334) 260-3400

Mobile Laboratory
757 Museum Drive
Mobile, AL 36608
(251) 344-6049

<http://www.alabamapublichealth.gov/>

Report To LAB RESULTS
AUM NURSING CARE CENTER
IRMA B. MOORE HALL RM.102
P.O. BOX 244023
MONTGOMERY, AL 36124-4023
USA

Patient Information

Contact Details	DEANTHONY MOULTRIE 502 SEATON PARK Montgomery, AL 36116	Date of Birth	10/16/1997
		Gender	Male
		Race	Black or African American
		Patient ID	X2571681
County of Residence	Montgomery		

Sample Information

Sample ID	MOULTRIE,DEANTHONY	Date Collected	7/7/2020
Lab ID	E2007001959-01	Date Received	7/9/2020 09:32 AM
Chain of Custody	3129689	Date Reported	7/9/2020 02:57 PM
Specimen Source	Blood	Lab Site	BCL Mobile
Description			

Additional Information

Bill to question for payment
Bill To ADPH STD Program (08)

NPI Information
NPI Provider's First Name? MELODY
NPI Provider's Last Name? HARVEY

Results

Test/Observation	Result	Method / Ref Range
--- SEROLOGY SYPHILIS ---		
Syphilis Screen	NONREACTIVE	Syphilis Ab Multiplex 1A /



Alabama Department of Public Health

Bureau of Clinical Laboratories

Montgomery Laboratory
P.O. Box 244018
Montgomery, AL 36124-4018
(334) 260-3400

Mobile Laboratory
757 Museum Drive
Mobile, AL 36608
(251) 344-6049

<http://www.alabamapublichealth.gov/>

Report To LAB RESULTS
AUM NURSING CARE CENTER
IRMA B. MOORE HALL RM.102
P.O. BOX 244023
MONTGOMERY, AL 36124-4023
USA

Patient Information

Contact Details	DEANTHONY MOULTRIE 502 seaton pk Montgomery, AL 36116	Date of Birth	10/16/1997
County of Residence	Montgomery	Gender	Male
		Race	Black or African American
		Ethnicity	Not Hispanic
		Patient ID	X2378602

Sample Information

Sample ID	MOULTRIE, DEANTHONY	Date Collected	7/7/2020
Lab ID	E2007002028-01	Date Received	7/9/2020 10:44 AM
Chain of Custody	3129987	Date Reported	7/10/2020 05:01 PM
Specimen Source	Urine	Lab Site	BCL Mobile
Description			

Additional Information

Bill to question for payment
Bill To ADPH STD Program (08)

NPI Information
NPI Provider's First Name? MELODY
NPI Provider's Last Name? HARVEY

Comments

The performance of Oral and Rectal Swabs are not FDA approved, but have been validated by the BCL for CT and GC specimens, but not for TV. TV assay is not FDA approved for male patients, but the BCL has validated it for males.

Results

Test/Observation	Result	Method / Ref Range
-- SEROLOGY CT-GC --		
Chlamydia Trachomatis	NONREACTIVE	APTIMA NAAT Combo 2 Assay /
Neisseria Gonorrhoeae	NONREACTIVE	APTIMA NAAT Combo 2 Assay /
-- SEROLOGY TV --		
Trichomonas Vaginalis	NONREACTIVE	APTIMA NAAT Assay /