



Alabama Department of Public Health

Bureau of Clinical Laboratories

Montgomery Laboratory
P.O. Box 244018
Montgomery, AL 36124-4018
(334) 260-3400

Mobile Laboratory
757 Museum Drive
Mobile, AL 36608
(251) 344-6049

<http://www.alabamapublichealth.gov/>

Report To LAB RESULTS
AUM NURSING CARE CENTER
IRMA B. MOORE HALL RM.102
P.O. BOX 244023
MONTGOMERY, AL 36124-4023
USA

Patient Information

Contact Details	DEANTHONY MOULTRIE PO BOX 244024 Montgomery, AL 36124	Date of Birth	10/16/1997
County of Residence	Montgomery	Gender	Male
		Race	Black or African American
		Ethnicity	Not Hispanic
		Patient ID	X2217188

Sample Information

Sample ID	MOULTRIE	Date Collected	10/9/2019
Lab ID	M1910008046-01	Date Received	10/11/2019 09:43 AM
Chain of Custody	3059172	Date Reported	10/16/2019 02:33 PM
Specimen Source	Urine	Lab Site	BCL Montgomery
Description			

Additional Information

NPI Information

NPI Provider's First Name? CAROL
NPI Provider's Last Name? STEWART

Comments

The performance of Oral and Rectal Swabs are not FDA approved, but have been validated by the BCL for CT and GC specimens, but not for TV. TV assay is not FDA approved for male patients, but the BCL has validated it for males.

Results

Test/Observation	Result	Method / Ref Range
-- SEROLOGY CT-GC --		
Chlamydia Trachomatis	NONREACTIVE	APTIMA NAAT Combo 2 Assay /
Neisseria Gonorrhoeae	NONREACTIVE	APTIMA NAAT Combo 2 Assay /
-- SEROLOGY TV --		
Trichomonas Vaginalis	NONREACTIVE	APTIMA NAAT Assay /