

Alabama Department of Public Health

Bureau of Clinical Laboratories



Prattville Laboratory
P.O. Box 1000, Prattville, AL 36067-9901
204 Legends Ct, Prattville, AL 36066-7893
(334) 290-6130

Mobile Laboratory
757 Museum Drive
Mobile, AL 36608
(251) 344-6049



<http://www.alabamapublichealth.gov/bcl>

Report To: LAB RESULTS
AUM NURSING CARE CENTER
IRMA B. MOORE HALL RM.102
P.O. BOX 244023
MONTGOMERY, AL 36124-4023
USA

Patient Information

Contact Details:	HEATHER ADAMS 1721 YANCEY AVE Montgomery, AL 36107	Date of Birth:	11/5/1987
		Gender:	Female
		Race:	White or Caucasian
		Ethnicity:	Not Hispanic
County of Residence:	Montgomery	Patient ID:	X2536098

Sample Information

Sample ID:	S00183479	Date Collected:	01/23/2024
Lab ID:	M2401012940-01	Date Received:	01/24/2024 11:30 AM
Chain of Custody:	L3361557	Date Reported:	01/26/2024 01:16 PM
Specimen Source:	Urine	Lab Site:	BCL Prattville

Additional Information

NPI Information

NPI Provider's First Name?	LINDSEY
NPI Provider's Last Name?	BARTON

Comments

The performance of Oral and Rectal Swabs are not FDA approved, but have been validated by the BCL for CT and GC specimens, but not for TV. TV assay is not FDA approved for male patients, but the BCL has validated it for males.

Results

Test/Observation	Result	Method / Reference Range
-- SEROLOGY CT-GC --		
Chlamydia Trachomatis	NONREACTIVE	APTIMA NAAT Combo 2 Assay /
Normal Value: Not found in a healthy population		
Neisseria Gonorrhoeae	NONREACTIVE	APTIMA NAAT Combo 2 Assay /
Normal Value: Not found in a healthy population		
-- SEROLOGY TV --		
Trichomonas Vaginalis	NONREACTIVE	APTIMA NAAT Assay /
Normal Value: Not found in a healthy population		

Handwritten signature and date:
11/26/2024