

Core Diagnostic Laboratories
1930 Edwards Lake Road
Suite 138
Birmingham, AL 35235
CLIA#: 01D2144684

Molecular Laboratory Report

Patient:	ADAMS, HEATHER A	Accession:	650262
Patient #:	133224	Birth:	11/5/1987
Doctor:	FAIN, MARANDA	Age:	34 years
Home Phone:	(334)304-5414	Gender:	Female
		Collection Date:	1/6/2022 1:35 PM
		Received Date:	1/8/2022 12:13 AM JDF

Test Name	Result	Units	Reference Range
-----------	--------	-------	-----------------

Summary

RAPID RPP

Run by JH on 1/8/2022 10:24:43 AM at Location: 01

Test Name	Result	Units	Flag	Reference Range/Cutoff
-----------	--------	-------	------	------------------------

RAPID RPP

Run by JH on 1/8/2022 10:24:43 AM at Location: 01

Internal Control	Passed
Bordetella pertussis	Not Detected
Chlamydia pneumoniae	Not Detected
Enterovirus	Not Detected
Haemophilus influenzae	Not Detected
HHV ~ 4 Epstein Barr Virus	Not Detected
Influenza A	Not Detected
Influenza B	Not Detected
Klebsiella pneumoniae	Not Detected
Moraxella catarrhalis	Not Detected
Mycoplasma pneumoniae	Not Detected
Rhinovirus	Not Detected
RSV A	Not Detected
RSV B	Not Detected
Streptococcus pneumoniae	Not Detected
Streptococcus pyogenes (Strep A)	Not Detected
aacA1-Aminoglycosides	Not Detected
SHV- ESBLs	Not Detected
ermB- Macrolides	Not Detected
mecA- Methicillin	Not Detected
qnrA- Quinolones/Fluoroquinolones	Not Detected
sul- Sulfonamides	Not Detected
tet(M)- Tetracyclines	Not Detected



Core Diagnostic Laboratories
1930 Edwards Lake Road
Suite 138
Birmingham, AL 35235
CLIA# 01D2146684

Molecular Laboratory Report

Patient: ADAMS, HEATHER A Accession: 650262
 Patient #: 133224 Birth: 11/5/1987
 Doctor: FAIN, MARANDA Age: 34 years Collection Date: 1/6/2022 1:35 PM
 Home Phone: (334)304-5414 Gender: Female Received Date: 1/8/2022 12:13 AM JDF
 Notes: Antibiotic Resistance Marker Guide:

aacA1: If positive, pathogen is potentially resistant to Aminoglycosides such as Gentamicin.

SHV: If positive, pathogen is potentially resistant to ESBLs such as Amoxicillin, Ampicillin, Cefepime, Ceftriaxone, Cefuroxime, Cephalothin, and Piperacillin.

ermB: If positive, pathogen is potentially resistant to Macrolides such as Azithromycin, Clarithromycin, Erythromycin.

mecA: If positive, pathogen is potentially resistant to Amoxicillin, Clavulanic acid, Ampicillin, Oxacillin, Piperacillin.

qnrA: If positive, pathogen is potentially resistant to Fluoroquinolones such as Levofloxacin, Ciprofloxacin.

sul: If positive, pathogen is potentially resistant to Trimethoprim/Sulfa.


tetM: If positive, pathogen is potentially resistant to Doxycycline, Minocycline, Tetracycline.

Note: Antimicrobial resistance can occur via multiple mechanisms. A not detected result for a genetic marker of antimicrobial resistance does not indicate susceptibility to associated antimicrobial drugs or drugs classes. A detected result for a genetic marker of antimicrobial resistance cannot be definitely linked to the microorganism(s) detected. Culture is required to obtain isolates for antimicrobial susceptibility testing and results should be used in conjunction with culture results for the determination of susceptibility or resistance.

Location 01:

Reviewed By: _____

Date: _____



Core Diagnostic Laboratories
1930 Edwards Lake Road
Suite 138
Birmingham, AL 35235
CLIA#: 04D2144684

Molecular Laboratory Report

Patient:	ADAMS, HEATHER A	Accession:	650259
Patient #:	133224	Birth:	11/5/1987
Doctor:	FAIN, MARANDA	Age:	34 years
Home Phone:	(334)304-5414	Gender:	Female
		Collection Date:	1/6/2022 1:35 PM
		Received Date:	1/8/2022 12:13 AM JDF

Test Name	Result	Units	Flag	Reference Range/Cutoff
COVID 19				<i>Run by ERH on 1/8/2022 10:56:21 AM at Location: 01</i>

COVID-19 NOT DETECTED

Notes: *TESTING WAS PERFORMED USING A SARS-COV-2 RT-PCR TEST. THIS TEST HAS NOT BEEN FDA CLEARED OR APPROVED. THIS TEST HAS BEEN AUTHORIZED BY THE FDA UNDER AN EMERGENCY USE AUTHORIZATION. THIS TEST IS ONLY AUTHORIZED FOR THE DURATION OF TIME THE DECLARATION THAT CIRCUMSTANCES EXIST JUSTIFYING THE AUTHORIZATION OF THE EMERGENCY USE IN IN VITRO DIAGNOSTIC TESTS FOR DETECTION OF SARS-COV-2 VIRUS AND OR DIAGNOSIS OF COVID-19 INFECTION.

Location 01:

Reviewed By: _____ Date: _____