



Alabama Department of Public Health

Bureau of Clinical Laboratories

Montgomery Laboratory
P.O. Box 244018
Montgomery, AL 36124-4018
(334) 260-3400

Mobile Laboratory
757 Museum Drive
Mobile, AL 36608
(251) 344-6049

<http://www.alabamapublichealth.gov/>

Report To LAB RESULTS
AUM NURSING CARE CENTER
IRMA B. MOORE HALL RM.102
P.O. BOX 244023
MONTGOMERY, AL 36124-4023
USA

Patient Information

Contact Details	HEATHER ADAMS 1721 YANCEY AVE Montgomery, AL 36107	Date of Birth	11/5/1987
		Gender	Female
		Race	White or Caucasian
		Ethnicity	Not Hispanic
County of Residence	Montgomery	Patient ID	X2536098

Sample Information

Sample ID	ADAMS, HEATHER	Date Collected	5/18/2020
Lab ID	E2005002620-01	Date Received	5/27/2020 10:09 AM
Chain of Custody	3103966	Date Reported	5/28/2020 09:04 AM
Specimen Source	Urine	Lab Site	BCL Mobile
Description			

Additional Information

Bill to question for payment
Bill To ADPH STD Program (08)

NPI Information
NPI Provider's First Name? MELODY
NPI Provider's Last Name? HARVEY

Comments

The performance of Oral and Rectal Swabs are not FDA approved, but have been validated by the BCL for CT and GC specimens, but not for TV. TV assay is not FDA approved for male patients, but the BCL has validated it for males.

Results

Test/Observation	Result	Method / Ref Range
-- SEROLOGY CT-GC --		
Chlamydia Trachomatis	NONREACTIVE	APTIMA NAAT Combo 2 Assay /
Neisseria Gonorrhoeae	NONREACTIVE	APTIMA NAAT Combo 2 Assay /
-- SEROLOGY TV --		
Trichomonas Vaginalis	NONREACTIVE	APTIMA NAAT Assay /